

Carbohydrate metabolism in pregnancy and the newborn 1978 - edited by H. W. Sutherland, J. M. Stowers.

Springer-Verlag - Metabolic effects of progesterone



Description: -

- Carbohydrate metabolism disorders in infants -- Congresses.
Carbohydrate metabolism disorders in pregnancy -- Congresses.
Metabolism in pregnancy.
Diabetes in pregnancy -- Congresses. Carbohydrate metabolism in pregnancy and the newborn 1978 - edited by H. W. Sutherland, J. M. Stowers.
- Carbohydrate metabolism in pregnancy and the newborn 1978 - edited by H. W. Sutherland, J. M. Stowers.
Notes: Includes bibliographies and index.
This edition was published in 1979



Filesize: 47.71 MB

Tags: #Metabolic #effects #of #progesterone

Regulation of the aromatase activity of human placental cytotrophoblasts by insulin, insulin

The placenta, which is the primary source of oestrogens during pregnancy, would be exposed to this elevation in circulating insulin levels.

Carbohydrate metabolism in pregnancy: XVII. Diurnal profiles of plasma glucose, insulin, free fatty acids, triglycerides, cholesterol, and individual amino acids in late normal pregnancy

Analizza anche le recensioni per verificare l'affidabilità.

Regulation of the aromatase activity of human placental cytotrophoblasts by insulin, insulin

Il nostro sistema considera elementi quali la recente recensione e se il revisore ha acquistato l'articolo su Amazon. Stowers Copyright 1979 Publisher Springer-Verlag Berlin Heidelberg Copyright Holder Springer-Verlag Berlin Heidelberg eBook ISBN 978-3-642-66972-9 DOI 10. .

Carbohydrate Metabolism in Pregnancy and the Newborn 1978

Carbohydrate metabolism in pregnancy: XVII. Progesterone stimulates deposition of body fat but has catabolic effects on protein metabolism

Amazon.it: Carbohydrate metabolism in pregnancy and the newborn 1978: Edited by H. W. Sutherland, J. M. Stowers

Samples of blood were secured during a 24 hour period while the subjects were receiving a liquid formula diet containing 2,110 kcal with 275 gm carbohydrate and 75 gm protein in three equal feedings at 0800, 1300, and 1800 hours.

Regulation of the aromatase activity of human placental cytotrophoblasts by insulin, insulin

Methods of Determination, Clinical Application and the effect of Beta-Mimetic Agonists.

Carbohydrate metabolism in pregnancy: XVII. Diurnal profiles of plasma glucose, insulin, free fatty acids, triglycerides, cholesterol, and individual amino acids in late normal pregnancy

Similarly, insulin-like growth factors IGFs , which are synthesized and secreted by placental tissues and could influence placental function in an autocrine or paracrine fashion, may be elevated in diabetic pregnancy. Studies to be reviewed were stimulated by the clinical observation, albeit controversial, that diabetic pregnancy may be associated with lower serum oestrogen levels than nondiabetic pregnancy. Pregnant diabetic women are usually intensively treated with insulin to maintain euglycemia, frequently resulting in peripheral hyperinsulinemia.

Carbohydrate Metabolism in Pregnancy and the Newborn 1978

Many new topics are covered, such as maternal nutrition, obesity, infertility, abortion, retinopathy, and so forth. Diurnal profiles have been constructed for glucose, free fatty acids FFA , triglycerides, cholesterol, and ten neutral amino acids in subjects with normal carbohydrate metabolism during late pregnancy and in age- and weight-matched nongravid women.

Related Books

- [Truth against craft: or, sophistry and falsehood detected - In answer to a pamphlet intitled, The case of the poor](#)
- [Fertility choices and constraints - a qualitative study of Norwegian families](#)
- [Civil litigation](#)
- [Kotak katik kota nekopolitan?](#)
- [Letter to the Right Hon. Lord Byron](#)