


Geology of the Stewart Flat Quadrangle Caribou County, Idaho.

s.n - MyTopo Idaho USGS Quad Topo Maps



Description: -

-Geology of the Stewart Flat Quadrangle Caribou County, Idaho.

-

FPST (Series) -- v. 6.

FPST -- v. 6

U.S. Geological Survey professional paper -- 372-E.

U.S. Geological Survey bulletin -- 1217. Geology of the Stewart Flat Quadrangle Caribou County, Idaho.

Notes: 1

This edition was published in 1968



Filesize: 60.49 MB

Tags: #Caribou #County, #Idaho #Land #For #Sale

Dry Valley Mine

Also includes travertine and tufa northeast of Bancroft and Lake Thatcher sediments in the Gem Valley south of Grace. The structural evolution model of the Phosphoria Formation in the Meade plate includes: a compaction of the Phosphoria by Triassic and Jurassic overburden; b additional compaction in Early Cretaceous by the tectonic overburden of a warm Putnam-Paris plate and resulting greenschist-facies metamorphism of the footwall rocks that would later comprise the upper Meade plate; c transfer of principal strain in the Sevier fold-and-thrust belt to the Meade thrust during Early to Late Cretaceous when rocks of the Meade plate developed a B perpendicular to B' tectonite and layered deformation styles and the strata in the upper part of the thrust plate were shortened by as much as 38%; d possible enlargement of part of the upper flat as the result of variable displacement involving incompetent strata and or basement structures; e additional, possibly passive piggyback, eastward transport of the Meade plate on younger thrusts; f burial of the western Meade plate by gravel from a rejuvenated Putnam-Paris plate; g left-lateral and right-lateral faulting within the Meade plate as a result of variable displacement on the Crawford, Absaroka, and possibly younger thrust faults; h Cretaceous faulting and or early Tertiary compression or extension that may have shuffled strata and disturbed Cretaceous metamorphic isograds; i periodic uplift and erosion that stripped much of the Putnam-Paris plate from the Meade plate and eroded much of the Meade plate; j mid- dle to late Tertiary extension associated with development of the north-northwest-trending Bear Lake-Blackfoot Reservoir graben and bimodal basalt-rhyolite volcanism, possibly a distal effect of the Yellowstone hotspot, and possibly implicated in disturbance of Cretaceous isograds. NO changes have been made to the original text.

Caribou County, Idaho Land For Sale

Stratigraphy and Depositional Environments, Imperial County, CA. Will have a lot of different used book stickers on cover and binding. Depositional history and petrology of the Fort Union formation Paleocene southern flank of the Rock Springs uplift, Sweetwater County, Wyoming.

Chapter 3 The history of production of the western phosphate field

Sediment dynamics in Monterey Canyon, central California. Geologic and Mineral-resource Evaluation of the White Mountains, California and Nevada. {FOLIO EDITION IS ALSO AVAILABLE}

Geology of the Stewart Flat quadrangle, Caribou County, Idaho

The Strawberry Creek and Pyramid Guard Station landslides.

Smokey Canyon Mine

NO changes have been made to the original text. Paleocene to Neoproterozoic Sedimentary and Igneous Rocks of the Cordilleran System.

Related Books

- [Dominelais, le Grand-Fougeray, Mouais, Sainte-Anne-sur-Vilaine - recherches et documents](#)
- [Talking about people - readings in contemporary cultural anthropology.](#)
- [Art of Benin - a catalogue of an exhibition of the A.W.F. Fuller and Chicago Natural History Museum](#)
- [Nueva perspectiva para el estudio de la expansión de la cultura tiwanaku](#)
- [Guinness book of names](#)