


# Using GPS and wireless data communications for remote access to a distributed database.

The author] - Real



Description: -

- Using GPS and wireless data communications for remote access to a distributed database.
- Using GPS and wireless data communications for remote access to a distributed database.

Notes: Thesis (M. Sc. (Computing and Design)) - University of Ulster, 1994.

This edition was published in 1994



Filesize: 49.36 MB

Tags: #US20120252357A1

## US20120252357A1

Methods and systems for correcting, based on speech, input generated using automatic speech recognition 2017-05-31 2020-04-08 Rovi Guides, Inc. Long-range program guide access means 24 can be; For example; Obtained programme information Figure 15 step 1600 , and said information has been classified, only shown list information then to most popular channels or theme according to most popular information.

## US20120252357A1

In another approach, the user can face toward the title that the voice request recognition system is said certain TV guide information, and said recognition system is just sent suitable order or request to long-range program guide access means 24.

## Distributed Coherent RF Operations or Coherent RF Arrays enable future Network

Long-range program guide access means 24 is passable, if necessary, head of a family's control information is stored on the memory device 56.

## Spectrum and Wireless Innovation enabled by Future Technologies (SWIFT) (nsf21539)

If program guide has been provided with change the for example change of head of a family's control setting , the program guide server can, for example, the local program guide client of on user television equipment devices 22, moving with required information updating.

## US20120252357A1

A kind of scheme example of long-range program guide access means 24 has been shown among Fig. The implementation of beam-forming provides several distinct advantages over simple isotropic operation: 1 the beam-formed link can achieve a higher SNR and, hence, higher data rate operation, 2 the higher SNR can be used to enable more robust encryption, 3 the direction of the beam-formed link can be steered so as to minimize the potential for interception, 4 the beam-forming algorithm can be used to null jamming and interference inclusive of co-channel interference.

## **Real**

Wireless network edge guardian 2012-10-18 2018-12-25 Sprint Communications Company L. In practice; Long-range program guide access means 24 can be connected to user television equipment devices 22 shown in Fig. Accessing communication can comprise that for example, the making language document of html format for example webpage exchanges between long-range program guide access means 24 and interactive television program guide equipment 17 through internet service system 61, shown in step by step 1209.

### **Cloud Phone System & Virtual Meeting Platform**

According to the present invention, can be applied on the STB and the another kind of non-program guide application program through the remote access equipment visit is a stock ticker. Methods and systems of recommending media assets to users based on content of other media assets 2016-02-29 2017-08-31 Rovi Guides, Inc.

### **Cloud Phone System & Virtual Meeting Platform**

Methods and systems for presenting direction-specific media assets 2013-11-04 2017-06-06 Rovi Guides, Inc.

## Related Books

- [Miniaturen der Berliner Bāisongur-Handschrift](#)
- [Painting - a selection of articles from the new 14th edition of the Encyclopaedia britannica; an aid](#)
- [Harmonic forms - an elementary study correlating theory, harmonic aural-training, and instrumental a](#)
- [Probation and the black offender.](#)
- [Emergenza formazione - tecnici intermedi, università, imprese.](#)