

Contribución a la traumatología y ortopedia = - Contribution to traumatology and orthopaedics

Ediciones Cardeñoso - Ortopedia y Traumatología / Orthopaedics and Traumatology



Description: -

-Contribución a la traumatología y ortopedia = - Contribution to traumatology and orthopaedics

-Contribución a la traumatología y ortopedia = - Contribution to traumatology and orthopaedics

Notes: Parallel Spanish text and English translation.

This edition was published in 1996



Filesize: 4.95 MB

Tags: #Nuestros #artículos #científicos

Oral Presentations, Journal of Orthopaedics and Traumatology

IJSM is accompanied by Sports Medicine International Open - an Open Access journal publishing original papers, reviews, and letters to the editor. A broad spectrum of cases is covered, ensuring that ECED Reports is an essential resource for those seeking a deeper insight into the pathology and treatment of a range of diseases and conditions in this field. When olecranon or coronoid fracture is associated with elbow dislocation, restoration of trochlear notch is required for ulnohumeral stability.

Artroscopia y ortopedia: 2013

Journal of Pediatric Intensive Care provides an in-depth update on new subjects and current comprehensive coverage of the latest techniques in intensive care in childhood. Crosslinked polyethylene has been developed for joint inserts due to its superior wear resistance compared to conventional UHMWPE; to prevent the oxidation, crosslinked polyethylene requires post-irradiation thermal treatment, which reduces its mechanical properties and which depends on the producer. Several good clinical results from the use of crosslinked acetabular cups have reported at mid-term, while early results for knee replacements are also encouraging.

Compatibilidades en las multiplicidades: El uso de dispositivos médicos en la sala de operaciones

UCL has a thin posterior and transverse bundles and a thick anterior bundle. Weinberg, Department of Paediatric and Adolescent Surgery, Medical University of Graz, Austria, P.

Development and reliability of the AOSpine CROST (Clinician Reported Outcome Spine Trauma): a tool to evaluate and predict outcomes from clinician's perspective

This view is supported by the better results for intra-rater reliability and internal consistency. In adults, it is more common in the bones of the spine vertebrae, feet, or in the pelvis. This quarterly journal publishes primary and review articles covering all aspects of surgery of the head, face and jaw.

In

After completing this phase, a definite version was developed to be further validated. Oliva F, Zocchi L, Codispoti A, Candi E, Celi M, Melino G, Maffulli N, Tarantino U.

Spanish National Hip Fracture Registry (SNHFR): a description of its objectives, methodology and implementation

Maffulli N, Spiezia F, Oliva F, Testa V, Capasso G, Denaro V. Dynamics of femoral bone remodelling after cemented Muller total hip arthroplasty. An important part of surgical treatment is reattachment of anterior capsule and repair of lateral collateral ligament.

Contribucion a la traumatologia y ortopedia = Contribution to traumatology and orthopaedics

Objective To ascertain the current situation and clinical variability of the provision of care for Hip Fracture HF in Spain and the factors related to it by using a National Registry NHFR with high patient numbers and territorial representation NHFR, and to compare results on a national and international level and propose standards and criteria to improve healthcare quality.

Related Books

- [Research report on the American Public Library](#)
- [Gospel as history](#)
- [Deliver us from evil - a symposium on mental hospitals, mental illness, and psychiatry](#)
- [Elemente des Plastischen von Donatello bis Brancusi](#)
- [Glass paperweights of the Bergstrom Art Center - the complete collection of glass paperweights and r](#)