


Progress report on experimental use of fire-breaks within national forest timber sale areas in the California region

U.S. Dept. of Agriculture, Forest Service, Region Five - Georgia Research: Projects, Research Publications, Presentations, Thesis and Dissertations, Technical Publications



Description: -

Fuelbreaks -- California. Progress report on experimental use of fire-breaks within national forest timber sale areas in the California region
- Progress report on experimental use of fire-breaks within national forest timber sale areas in the California region

Notes: Cover title.

This edition was published in 1935



Filesize: 23.14 MB

Tags: #Do #We #Get #What #We #Pay #For?

National Agricultural Library Collections: Special Collections

Placer mining in Yukon-Tanana region.

U.S. Forest Service Headquarters History Collection

Black growth and fiddlebutts: the nature of old-growth red spruce. Issues of forest health that had followed the 1950 hurricane were not raised, with the exception of one industry report ESPFA 1995 c. Some BMPs are effective in the protection of water quality, but information on the degree to which BMPs might support conservation of at-risk aquatic species is lacking.

U.S. Forest Service Headquarters History Collection

Newfoundland and Labrador Wildlife Division.

The Young Stand Thinning and Diversity Study

Until recently, most of the fees collected on federal lands were returned to the treasury. University Press of America, Lanham, Maryland, USA. The Monthly Catalogue, which has been continuously published from Jan.

United States. Forest Service. California Region

FOREST SERVICE TAHOE NATIONAL FOREST LAND MANAGEMENT PLAN AND ENVIRONMENTAL IMPACT STATEMENT 1990. A large List, J -L giving numerous titles relating to public health, individual health, and sarii. As trees sicken and die, the once green forest is

turning to shades of brown.

Georgia Research: Projects, Research Publications, Presentations, Thesis and Dissertations, Technical Publications

Response to resolution, letters containing information as to amount, character, and value of construction machinery, etc. Geologic features of Alaskan metalliferous lodes. Twenty-eight years of thinningat several intensities in a high-site Douglas-fir stand in western Washington.

United States. Forest Service. California Region

The range also extends south from the San Francisco peninsula, along the central Coast Range, throughout the forested areas of southern California, including the higher mountain regions.

Related Books

- [A tour through the principal provinces of Spain and Portugal, performed in the year 1803 - with curs](#)
- [Origines de la crèche provençale et des santons populaires à Marseille](#)
- [Applied statistics for engineers and physical scientists](#)
- [Apart from Freud - notes for a rational psychoanalysis](#)
- [Dinamika zemnoj kory](#)