

Annotated master specifications for the cleaning and repointing of historic masonry.

Ministry of Citizenship and Culture - Masonry Cleaning and Maintenance Techniques

Description: -

-

Arctic regions -- Research -- Germany -- International cooperation.

Microorganisms -- Antarctica.

Sedimentation and deposition -- Russia (Federation) -- Laptev Sea.

Permafrost -- Russia (Federation) -- Lena River Delta.

Paleoclimatology -- Quaternary.

Paleoclimatology -- Russia (Federation) -- Laptev Sea.

Missions -- Nova Scotia.

Presbyterian Church -- Nova Scotia.

Rosa, Joao Guimaraes.

Public utilities -- Rates -- Law and legislation -- United States --

Digests.

Public utilities -- Rates -- Law and legislation -- United States.

Hazardous substances -- Inspection -- United States

Umbanda (Cult)

Fortune-telling by shells

Aristotle.

Asia, Western -- Description and travel.

Historic buildings -- Cleaning -- Contracts and specifications --

Canada.


Historic buildings -- Conservation and restoration -- Contracts and specifications -- Canada. Annotated master specifications for the cleaning and repointing of historic masonry.

-Annotated master specifications for the cleaning and repointing of historic masonry.

Notes: Editors: Richard Unterman, Mark Fram - preface.

This edition was published in 1985

Tags: #Annotated #master #specifications
#for #the #cleaning #and #repointing #of
#historic #masonry. #: #Book, #Regular
#Print #Book #: #Toronto #Public
#Library



Filesize: 14.107 MB

Stucco

To obtain a neat repair, the area to be patched should be squared-off with a butt joint, using a cold chisel, a hatchet, a diamond blade saw, or a masonry bit.

Moisture Remediation in Single Wythe Masonry

The masonry must be pre-wet before applying an alkaline cleaning agent, but not when using a solvent. Air entraining agents, for example, help the mortar to resist freeze-thaw damage in northern climates.

MasonCare 300 > KING Masonry Products

Locate as much information as possible about recommended care and cleaning products and applications before making a selection.

Preservation Brief 22: The Preservation and Repair of Historic Stucco

Water-repellent coatings are frequently applied to historic masonry buildings for the wrong reason. Includes major revision of the section.

The Heritage Directory

As such, this document was diligently drafted by experienced professionals and therefore must not be copied integrally; rather you must adapt or

Preservation Brief 22: The Preservation and Repair of Historic

even modify it according to your project, which our technical representatives and engineering service representatives would be more than happy to help you with. Therefore, the owner must carefully plan the work to avoid problems.

Historic Plaster Conservation Services

No longer used just as a coating for a substantial material like masonry or log, stucco could now be applied over wood or metal lath attached to a light wood frame. The actual specification of a particular mortar type should take into consideration all of the factors affecting the life of the building including: current site conditions, present condition of the masonry, function of the new mortar, degree of weather exposure, and skill of the mason. Ingestion Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing.

UFGS Changes and Revisions

Thoroughly saturated masonries may take several months to dry.

Related Books

- [New Hampshire ground-water quality](#)
- [Sanat ve edebiyat tistüne](#)
- [Instructional material for teaching profit sharing at the university level](#)
- [Burgtheater-Galerie](#)
- [Organic Chemistry - includes Study Guide & Solutions Manual and HGS Molecular Structure Model](#)