

Recommended code of practice for the care and handling of farm animals - pigs

Communications Branch Agriculture Canada - ACA



Description: -

-

Painting, French -- Catalogs.

Swine.

Swine -- Handling. Recommended code of practice for the care and handling of farm animals - pigs

-

The great etchers

Eighteenth century -- reel 1018, no. 16.

Publication (Canada. Agriculture Canada) -- 1898.

Agriculture and Agri-Food Canada Publication --

1898/E. Recommended code of practice for the care and handling of farm animals - pigs

Notes: Includes bibliographical references (p. 49).

This edition was published in 1993



Filesize: 56.87 MB

Tags: #Pigs

Pigs

When numbers are used, both management and government inspectors can determine whether or not practices are becoming better or worse.

Code of Practice — Canadian Aquaculture Industry Alliance

CQA ® for Canadian Hog Producers. Stockpeople should be calm and demonstrate correct moving and handling behaviour.

NEWFOUNDLAND AND LABRADOR REGULATION 36/12

For pigs at the heavier end of this weight range, a penetrating captive bolt will be more effective. This process involves the use of a physiological monitoring system i. Response of growing-finishing male and female swine to floor space allowance on partially and totally slotted floors.

Horses

This report informs the drafting work of the Code Development Committee. Nonambulatory animals should be isolated from ambulatory animals and moved with carts, sleds, canvas tarpaulins, or slide boards. Check annually for charge and working order.

Codes of Practice for the care and handling of farm animals

If temporarily being held in a secondary container a small amount of water from the habitat or some wet vegetation should be placed in the bag to allow additional moisture. Gilts female pigs who have never had a litter of piglets before reach maturity and are bred around five to seven months of age. However, pigs should not be mixed in order to withdraw feed.

Moving and handling pigs

An increase in body temperature develops rather slowly, but may persist for a long time after the stress experience.

Codes of Practice for the care and handling of farm animals

Adapted from Assessing Sow Body Condition 14 refer to References. To do so, calm handling methods should be used, and trailers should be designed to minimize slipping, protect the animal from environmental stressors, and provide adequate space per head Table 4; National Pork Board, 2008. In 2005 the CPC launched its Animal Care Assessment ACA TM program which was based on the existing Code of Practice, as an independent, voluntary assessment tool for producers to promote and demonstrate responsible pork production.

Related Books

- [Architecture religieuse protodynastique en Mesopotamie](#)
- [Statistical Bulletin - Ireland : September 1997 : Vol.LXX11 NO.32](#)
- [Water nutrients no.2 : study number 36 - report of a study conducted by Analytical Reference Service](#)
- [Great printers library - \[interview with R.A. Peddie\].](#)
- [Thomas von Aquin begegnen](#)