

Mobile agents - first international workshop, MA 97, Berlin, Germany, April 7-8, 1997 : proceedings

Springer - CEUR Workshop Proceedings

```
class sandbox.environment.EnvironmentChild
class moa.ac.AcTakedownMgr
class sandbox.environment.Environment
class moa.ac.AC
class sandbox.environment.Killer
class moa.ac.LogService
class sandbox.message.MessageUser
class moa.nameserver.LocatorUser
class moa.ac.AcMsgUser
class moa.nameserver.NameServer
class moa.nameserver.HNameServer
class moa.user.User
class moa.logger.Logger
class moa.monitor.Monitor
class moa.mover.Mover
class sandbox.net.Net
class sandbox.net.NetUser
class moa.ac.AcChannelMgr
class sandbox.message.ChannelManager
class sandbox.message.Messenger
class moa.api.Service
```

Figure 4. Inheritance tree of EnvironmentChild Class: the EnvironmentChild class supports accessing other components within the object tree (see Figure 3). For example, the Mover needs access to NameServer and Messenger and therefore has to be wired. Inheritance tree indicates objects accessible by inheritance. For example, Mover has access to Messenger by being a subclass of MessageUser, and needs not be wired.

Description: -

-
Electronic data processing -- Distributed processing -- Congresses
Mobile agents (Computer software) -- Congresses
Mobile agents - first international workshop, MA 97, Berlin, Germany, April 7-8, 1997 : proceedings

-
55

Evangelische Zeitstimmen,
1219

Lecture notes in computer science, Mobile agents - first international workshop, MA 97, Berlin, Germany, April 7-8, 1997 : proceedings

Notes: Includes bibliographical references and index.

This edition was published in 1997



Filesize: 35.49 MB

Tags: #J.M. #Wing #Publications

Dimitrios Grammenos

Interactions with objects more complex than paper are described in theory by Fitzmaurice et al. A Prototype Intelligent Environment Michael H.

Faculty Publications

Most teamwork involves different styles of work in different stages Olson et al, 1992.

Mobile Agents

When the Proxy receives message UPDATE in , it checks for non-acknowledged messages in this case m 1 , and re-sends it, now to reference place RP 2.

Mobile Agents

On the other hand, data transfer with pick-and-drop is more direct and visible as opposed to symbolic. IEEE INFOCOM'2002, New York, New York, June 23-27, 2002 Selected as one of the six best wireless papers for a special issue of IEEE Transactions on Mobile Computing

dblp: Hybrid Systems

Horus: A Flexible Group Communication System. They reported that collaboration provided team awareness. Disembodied conduct: Communication through video in a multi-media office environment.

Related Books

- [Good news from North Haven - a year in the life of a small town](#)
- [Venus in transit - Australias women travellers, 1788-1930](#)
- [Homo sapiens za proizkhoda na Homo sapiens](#)
- [Press time](#)
- [Reconstructing Woman - From Fiction to Reality in the Nineteenth-Century French Novel](#)