

# Mahogany of tropical America - its ecology and management

University of Michigan Press - Ecology and management of mahogany (*Swietenia macrophylla* King) in the Chimanés Forest, Beni, Bolivia



Description: -

-

Antiques / Collectibles

Stamps

Calvinism

Mahogany.Mahogany of tropical America - its ecology and management

-Mahogany of tropical America - its ecology and management

Notes: Bibliography: p. 189-205.

This edition was published in 1966



Filesize: 51.610 MB

Tags: #Species #Profile: #Big

## Mahogany logging in the Amazon

The distribution of the mahogany shoot borer coincides with that of its principal host plant species, mahoganies and cedros, found in southern Florida United States, most of the West Indies, Sinaloa and southward in Mexico, Central America, and South America, except Chile Griffiths 2001.

## Академия Google

Cultivation and uses Supplies of S. Effects of partial overstory removal on the natural regeneration of a tropical forest in Quintana Roo, Mexico.

## Ecology and management of mahogany (*Swietenia macrophylla* King) in the Chimanés Forest, Beni, Bolivia

Stratification of  $\delta^{13}\text{C}$  values in Amazonian forests. Abstract Recent debate on whether or not mahogany *Swietenia macrophylla* King is threatened by the international timber trade has focused on the breadth of its range and estimates of the remaining stock of mahogany trees.

## Mahogany logging in the Amazon

Conservation of mahogany has attracted international attention as natural populations have plummeted. He suggested, however, that chemical control of these pests might be applicable to nursery situations. Wylie 2001 reviewed published information on chemical control of *Hypsipyla* spp.

## Related Books

- [Blind stitch - poems](#)
- [Stratigraphy, igneous petrology and evolution of the Sinclair Group in southern south west Africa.](#)
- [Pal Agreement](#)
- [Chang Jiang liu yu mei shu shi = - Changjiangliuyu meishushi](#)
- [German raiony and their newspapers, 1927-1941](#)