

# Influence of subcutaneous proglucagon-producing tumours on the pancreas and small intestine of nude mice

National Library of Canada - Induction of Intestinal Epithelial Proliferation by Glucagon



## Description:-

-Influence of subcutaneous proglucagon-producing tumours on the pancreas and small intestine of nude mice

-Canadian theses = -- Thèses canadiennesInfluence of subcutaneous proglucagon-producing tumours on the pancreas and small intestine of nude mice

Notes: Thesis (M.Sc.) -- University of Toronto, 1994.

This edition was published in 1994



Filesize: 23.610 MB

Tags: #Pancreatic #cancer #associated #with #obesity #and #diabetes: #an #alternative #approach #for #its #targeting

## Cancer stem cells in solid tumours: accumulating evidence and unresolved questions

Cells obtained were seeded in six-well plates using fibroblast culture medium and maintained at 37 °C in a 5% CO<sub>2</sub> incubator.

## Tumor hypoxia correlates with metastatic tumor growth of pancreatic cancer in an orthotopic murine model

The transfection efficiency was monitored by western blot assay Fig. The expression level of each targeted gene was normalized as fold change compared with control or reference group.

## Cysteine

Anticancer therapies combining antiangiogenic and tumor cell cytotoxic effects reduce the tumor stem-like cell fraction in glioma xenograft tumors. As the infinite proliferation of tumor cells attribute to the chemoresistance for tumor chemotherapy, the effects of CRIP1 on the proliferation and chemosensitivity of CRC cells were investigated. The antibody anti-proColXIα1 stains CAFs specifically , in contrast to other mesenchymal markers such as VIM and αSMA that stains a wide variety of fibroblasts, including NF, fibroblasts from inflammatory areas, and in lesions, etc.

## Induction of Intestinal Epithelial Proliferation by Glucagon

In terms of the administration of carcinogenic substances, the process depends on the duration and dose, and the state of the organism

## A comparison of three 67/68 Ga

Ga-Ex4NOD12 and Ga-Ex4NOD27 even show an improved stability over Ga-Ex4NOD40 for more than 48 h.



## Related Books

- [Further adventures of Peter Rabbit](#)
- [Landnutzung und Siedlung der Pashturen im Becken von Khost \(östl. Afghanistan\)](#)
- [Healthy Italian cooking](#)
- [New songs for new voices](#)
- [Juvenile delinquency, its nature and control.](#)