

Architecture-Independent Programming for Wireless Sensor Networks (Wiley Series on Parallel and Distributed Computing)

Wiley-Interscience - Architecture

Description: -

-

Mechanical Engineering & Materials

Chemistry

Finance & Accounting

Science/Mathematics

Computer Bks - Languages / Programming

Standards

Engineering Instruments

Programming - General

Scientific standards

Instruments & instrumentation engineering

Unassigned Title

Chemistry

Chemistry - Organic

Science/Mathematics

Science

Chemistry

Chemistry - General

PHYSICS

Mathematics

Mathematics / Calculus

Calculus

Calculus & mathematical analysis

Consumer Finance

Credit & credit institutions

Canada

Business & Management

Personal Finance - General

Electronics & Communications Engineering

Wireless communication systems

Mobile computing

Internetworking (Telecommunication)

Technology / Telecommunications

Telecommunications

Networking - General

Science/Mathematics

Technology & Industrial Arts

Technology & Engineering

Internet

Business & Economics / Production & Operations Management

Psychology & Psychiatry / General

Psychology

Probability & statistics

Science/Mathematics

Mathematics

Calculus


Mathematics / Calculus

Calculus & mathematical analysis

Food & Drink / Cookery

Wireless LANs

Sensor networks



Tags: #Programming #Paradigms #for #Networked #Sensing: #A #Distributed #Systems' #Perspective

Architecture-Independent Programming for Wireless Sensor Networks : Bakshi, Amol B., Prasanna, Viktor K.: play.fridaynightfunk.rf.gd.au: Books

This function can be specified as a sequential, imperative program for a von Neumann architecture, and the purpose of parallelizing and distributing the execution over multiple nodes is mainly to reduce the total latency.

Architecture

For instance, the current set of task annotations allows placement based on node IDS or locations.

Architecture-Independent Programming for Wireless Sensor Networks : Bakshi, Amol B., Prasanna, Viktor K.:

Programming
Computers / Computer Architecture
Technical & Manufacturing Industries & Trades
Computer Architecture - General
Computer Books: General
Computers - General Information
Computers
Radio technologyArchitecture-Independent Programming for
Wireless Sensor Networks (Wiley Series on Parallel and Distributed
Computing)
-Architecture-Independent Programming for Wireless Sensor
Networks (Wiley Series on Parallel and Distributed Computing)
Notes: -
This edition was published in May 2, 2008



Filesize: 62.107 MB

the desired coverage. The code listing for this function in the current implementation of DART is shown in Figure 3. The ATaG programmer will write a similar piece of code for each abstract task.

play.fridaynightfunk.rf.gd.au: Books

Rudimentary compilation means that the compiler only ensures functionally correct translation of task and channel annotations in the ATaG program. All activity-sampling of the sensor, comparison with previous state, and production of output data item occurs on the same node.

Wiley Series on Parallel and Distributed Computing Ser.: Architecture

The exact placement of sensor nodes might not be of interest to the application developers as long as the set of sensing tasks mapped onto a subset of those nodes at any given time collaboratively ensures

Related Books

- [Theatrum poetarum - or, A compleat collection of the poets.](#)
- [Atlas 'are ha-Sharon - Netanyah, Hertsiyah, Ramat ha-Sharon ... ye-'od ; 'im reshimat rehovot, mosa](#)
- [Guide to practical holography](#)
- [You shi shao nian bai ke quan shu.](#)
- [On the nature of meanings.](#)