Birds of Kent - a reviewof their status and distribution

Kent Ornithological Society - Bullfinch



Description: -

Birds -- England -- Kent. Birds of Kent - a review of their status and distribution

-Birds of Kent - a review of their status and distribution Notes: Bibliography, p426-427. - Includes index.

This edition was published in 1981



Filesize: 31.78 MB

Tags: #Birds #of #Conservation #Concern #4: #the #Red #List #for #Birds

Birds of Conservation Concern 4: the Red List for Birds

Numerous larger mammals, including medium-sized carnivores such as , and and various , are sometimes eaten as carrion by buzzards, mainly during lean winter months. In the climax of the sky dance, the undulations become progressive shallower, often slowing and terminating directly onto a perch.

The State of The UK's Birds

The Club provides this website to all for free.

Facts About Crows

More significant than even prey, late winter-early spring was found to be likely the primary driver of breeding success in buzzards from southern.

Northern Prairie Wildlife Research Center

Ardea, 89 3, 471—479.

The State of The UK's Birds

In comparison, the larger female has a wing chord measuring 374 to 432 mm 14.

Birds of Conservation Concern 4: the Red List for Birds

Rough-legged buzzards have slower wing beats and hover far more frequently than do common buzzards.

UK BAP List of UK Priority Species

Avian predation upon a mixed community of common voles Microtus arvalis and wood mice Apodemus sylvaticus.

Ken Rosenberg

Even with birds not traditionally considered raptorial, such as, may compete for nesting sites with buzzards. Juveniles have a brown head and face.
Contact your for the latest eastern black rail survey protocol.

Related Books

- <u>Dictionary of healing plants</u>
 <u>Collected works (Gsun-burn) of Mkhas-grub Sansrgyas-ye-śes.</u> <u>Edited from prints from the library of</u>
- One day of life
- Alguma crítica
- Atos de repetição