


# Carbonate depositional environments, modern and ancient: part 5, diagenesis 1 / by R.G.C. Bathurst and L.S. Land

Colorado School of Mines - Multistage dolomitization of upper jurassic mozduran formation, Kopet



Description: -

- Rocks, Carbonate Carbonate depositional environments, modern and ancient: part 5, diagenesis 1 / by R.G.C. Bathurst and L.S. Land

- Colorado School of Mines Quarterly 81 #4 Carbonate depositional environments, modern and ancient: part 5, diagenesis 1 / by R.G.C. Bathurst and L.S. Land

Notes: 11

This edition was published in -



Filesize: 20.61 MB

Tags: #Geochemical #and #neomorphic #alteration #of #dolomite: #A #review

## coral references

Size modifiers are utilized to differentiate various size classes of pore systems, such as large pores megapores from small pores micropores , while abundance THE UTILIZATION OF THE CHOQUE'ITE-PRAY CLASSIFICATION 21 modifiers are used to characterize percentages or ratios of pore types present in a carbonate rock sequence. .

**Lithofacies, diagenesis and cyclicity of the 'Lower Member' of the Khuff Formation (Late Permian), Al Qasim Province, Saudi Arabia**

. Mar Ecol Prog Ser 162: 301-6. .

**Lithofacies, diagenesis and cyclicity of the 'Lower Member' of the Khuff Formation (Late Permian), Al Qasim Province, Saudi Arabia**

GSA, New York, February 25, 1952.

## Carbonate Reservoirs

Stable isotopes of oxygen and carbon and their application to sedimentologic and paleoenvironmental problems. Fluid inclusion evidence on the environments of sedimentary diagenesis, a review.

## coral references



## Related Books

- [Saving the image - art after film](#)
- [Plays for the theatre - an anthology of world drama.](#)
- [Daf" al-kadhib al-mubīn - al-muftarā min al-rāfidah ‘alā ummahāt al-mu’ minīn, raḍiya Allāh ta‘ālā ‘a](#)
- [Oregon plan of pooling milk produced for fluid markets.](#)
- [Quartett im September - Roman.](#)