


Bentonite Deposits of the Northern Black Hills District, Wyoming, Montana, and South Dakota - Contributions to Economic Geology.

s.n - Geolex — PoolCreek publications



Description: -

-Bentonite Deposits of the Northern Black Hills District, Wyoming, Montana, and South Dakota - Contributions to Economic Geology.

-

Religions contemporaines

Beiträge zur Arbeits-, Berufs- und Wirtschaftspädagogik -- Bd. 21

U.S. Geological Survey bulletin -- 1082MBentonite Deposits of the

Northern Black Hills District, Wyoming, Montana, and South Dakota

- Contributions to Economic Geology.

Notes: 1

This edition was published in 1958



Filesize: 61.55 MB

Tags: #Bentonite #deposits #of #the #northern #Black #Hills #district #Wyoming, #Montana, #and #South #Dakota #/ #by #Maxwell #M. #Knechtel, #and #Sam #H. #Patterson

Bentonite deposits of the northern Black Hills district Wyoming, Montana, and South Dakota / by Maxwell M. Knechtel, and Sam H. Patterson

FLOOD OF AUGUST 1, 1985, IN CHEYENNE WYOMING.

Bentonite deposits of the northern Black Hills district, Wyoming, Montana, and South Dakota

LABIDOLEMUR AND APATEMYS FROM THE EARLY WASATCHIAN OF THE CLARK'S FORK BASIN, WYOMING Univ. With measured section and locality info.

Bentonite deposits of the northern Black Hills district, Wyoming, Montana, and South Dakota

One of the harder to find Green River Formation references for Wyoming.

Holdings: Bentonite deposits of the northern Black Hills district Wyoming, Montana, and South Dakota /

For best results viewing and printing PDF documents, it is recommended that you download the documents to your computer and open them with Adobe Reader. Sage Breaks unconformably underlies the Niobrara Formation.

WYOMING

GEOLOGICAL SURVEY PUBLICATIONS ATLAS FOLIOS 91 Smith W.

Holdings: Bentonite deposits of the northern Black Hills district Wyoming, Montana, and South Dakota /

Overall very good, minor chips to wrap edges, though there is an odor from age or long storage not musty though. The northern Black Hills district is an important source of commercial gel-forming sodium-type bentonite.

Geolex — ClaySpur publications

LEASABLE MINERAL AND WATERPOWER LAND CLASSIFICATION MAP OF THE CHEYENNE 1 DEGREE X 2 DEGREE QUADRANGLE WYOMING, COLORADO, AND NEBRASKA. Descriptive Text, two Topographic Maps, two Areal Geology Maps, two Structural Geology Maps, Columnar Section Sheet, Artesian Water Resources Map, Illustration Sheets of outcrop photos.

Related Books

- [O bliznetsakh](#)
- [Chimmie Fadden, - Major Max, and other stories.](#)
- [Examples of ISBD\(M\) usage in European languages](#)
- [Šim shalom](#)
- [Mikrokosmos - Ideen zur Naturgeschichte und Geschichte der Menschheit : Versuch einer Anthropologie](#)