Hair sheep of western Africa and the Americas - a genetic resource for the tropics

Westview Press - Lucilia cuprina



Description: -

Literature and history -- Costa Rican.

Costa Rican poetry -- 20th century -- History and criticism.

Hair sheep -- Tropics.

Hair sheep -- Africa, West.

Hair sheep -- America. Hair sheep of western Africa and the

Americas - a genetic resource for the tropics

-

A Winrock International studyHair sheep of western Africa and the

Americas - a genetic resource for the tropics

Notes: Includes bibliographies and index.

This edition was published in 1983



Filesize: 41.810 MB

Tags: #Genome

Sheep production systems and breeding practices of smallholders in western and south

Descriptive statistics such as total number of alleles TNA, mean number of alleles MNA, private alleles, observed heterozygosity Ho and expected heterozygosity He and polymorphic information content PIC values per marker and population were computed using the Microsatellite toolkit software Park 2001 and GenAlex ver. Crutching is the removal of wool around the vulva area and udder.

Sheep 101: Sheep Breeds S

Se incluyó también el efecto del año y estación de nacimiento, sexo de la cría, tipo de nacimiento, raza de la progenitora, raza del progenitor, su interacción y el peso corporal de la oveja.

Performance of hair sheep composite breeds: Resistance of lambs to Haemonchus contortus1

In contrast to this report, higher proportion of illiterate 59.

Sustaining intensification of smallholder livestock systems in the tropics

Worldwide, fine wool sheep comprise approximately 50 percent of the sheep population. Parasite resistance is another important trait to consider in a ram breed when the aim is to finish lambs on pasture. Croix breed is descended from the original West African hair sheep although some believe they are a cross breed of Criollo and Wiltshire White sheep.

Hair Sheep Of Western Africa And The Americas

Thus, if you want to milk sheep, you shouldn't choose a meat breed, even though it produces milk to feed its lambs. Similar multi- purpose functions of sheep rearing were reported for sheep keepers in the central highlands of Ethiopia Mekoya 1999.

Sheep 201: Breed Selection

Average age of castration was 10. SNP-specific F ST values were smoothed using a local variable bandwidth estimator as described in and plotted as a line in and. Forensic professionals may form a by the life stage found on the corpse.

Sheep production systems and breeding practices of smallholders in western and south

It was noted that within the same age categories females were less proportionally used for fattening compared to males.

Prolific tropical sheep / by I.L. Mason; with the assistance of the United Nations Environment Prog...

This would require strong extension services to organize farmers to use the existing breeding rams efficiently. This prompted assembly of the global sheep diversity panel, which contains animals from 74 diverse breeds sampled from Asia, Africa, South-West Asia the Middle East , the Caribbean, North and South America, Europe, and Australasia. J, Byrne K, Santucci F, Townsend S, Taylor M, et al.

Related Books

- 50 greatest plays in Chicago Bears football history
- Small firms and the U.K. labour market in the 1990s
- Proceedings of the NWWA Eastern Regional Conference on Ground Water Management held October 31-Nov
- National study of cooperative parish ministries as units of mission
- Indian trade unions; structure and function