


Health insurance coverage-- who had a lapse between 1991 and 1993?

U.S. Dept. of Commerce, Economics and Statistics Administration, Bureau of the Census - Effects of Health Insurance on Health

Description: -

-
Sculpture, Buddhist -- China -- Jianchuan Caves
+Stone carving -- China -- Jianchuan Caves
Literature - Classics / Criticism
Literary Criticism
African
Caribbean & Latin American
Short stories
Business/Economics
Business & Economics
Accounting - General
Financial accounting
Semiconductor lasers -- Congresses.
Computer graphics.
AutoCAD.
Xeriscaping -- United States
Soil conservation -- United States
Insurance, Health -- United States -- StatisticsHealth insurance coverage-- who had a lapse between 1991 and 1993?
-
Statistical brief (Washington, D.C.) -- SB-95-21
Statistical brief -- SB/95-21Health insurance coverage-- who had a lapse between 1991 and 1993?
Notes: Shipping list no.: 95-0310-P
This edition was published in 1995



Filesize: 26.89 MB

Tags: #Summary #Of #A #1993
#Republican #Health #Reform #Plan

Health Insurance Coverage

Overall, the proportion of patients with no insurance 24 months after hospitalization decreased from 42 percent at baseline to 21 percent as a result of enrollment in public insurance programs. All quantified study results that are presented in this chapter and in are significant at least at the 95 percent confidence interval. Severe Mental Illness Uninsured adults with severe mental illnesses are less likely to receive appropriate care than are those with coverage and may experience delays in receiving services until they gain public insurance.

Clinton health care plan of 1993

Most uninsured firms report they are inundated with solicitations to purchase a plan. Uninsured employed white men had a 30 percent greater risk of dying than their working counterparts with health insurance, and uninsured employed white women had a 20 percent greater risk over two to five years than their counterparts with health insurance Sorlie et al.

Universal Health Insurance Coverage Using Medicare's Rates

Depression and Anxiety Disorders Receipt of appropriate guideline-concordant care for depression is associated with improved functional outcomes at two years Sturm and Wells, 1995. More recently, an analysis based on HCSUS examined the mortality experience of insured and uninsured HIV-infected adults and found that having health insurance of any kind reduced the risk of dying within six months of being surveyed between 71 and 85 percent, when severity of illness measured by CD4 lymphocyte count and sociodemographic characteristics were controlled Goldman et al. The chart grouped the state pools into 3 categories: those that plan to cancel coverage by early 2014; those that will continue to provide coverage in some capacity; and those that have not yet made a decision.

Universal Health Insurance Coverage Using Medicare's Rates

It is estimated that out of 47 states and Washington D.

Universal Health Insurance Coverage Using Medicare's Rates

The problem is not in the file itself, but in the way that Acrobat is dealing with fonts used to create the document. The OR is not a good estimate of the relative risk the probability of been screened in the uninsured group divided by the probability of being screened in the insured group because screening is not a rare event.

Small Employers and Health Insurance and State Reforms of Small Group Health Insurance

Part A also covers brief stays for convalescence in a skilled nursing facility, and hospice benefits for terminally ill persons with less than 6 months to live as determined by the patient's physician. Once in office, Bill Clinton quickly set up the Task Force on National Health Care Reform, headed by , to come up with a comprehensive plan to provide for all Americans, which was to be a cornerstone of the administration's first-term agenda.

Clinton health care plan of 1993

The outcome for Medicaid enrollees was similar to that of privately insured women in both bivariate and multivariable analysis Ferrante et al. In a multivariable analysis that adjusted for age, race, education, and a regular source of care, uninsured adults were significantly less likely than those with any kind of coverage to receive a Pap test, mammography, and colorectal screening FOBT or sigmoidoscopy ORs ranged from 0.

Related Books

- [Constructing systems and information - a process view](#)
- [Passante ferroviario e la trasformazione di Milano](#)
- [Deaf identities in the making - local lives, transnational connections](#)
- [Reproducing class - education, neoliberalism, and the rise of the new middle class in Istanbul](#)
- [Banchetto e società romana - dalle origini al I sec. a.C.](#)