


Endarteritis of the renal arteries, causing necrosis of the entire cortex of both kidneys

Young J. Pentland - Kidney Cortex Necrosis



Description: -

-

Kidney cortex. Endarteritis of the renal arteries, causing necrosis of the entire cortex of both kidneys

- Endarteritis of the renal arteries, causing necrosis of the entire cortex of both kidneys

Notes: Reprinted from the Journal of Pathology and Bacteriology.

This edition was published in 1898



Filesize: 28.73 MB

Tags: #Diffuse #Renal #Parenchymal #Diseases

Renal Artery Stenosis Article

The application of a Goldblatt clamp to the renal artery of one of the two kidneys, previously injected with trypsin, led to a rise in blood pressure which returned at once to normal when the ischemic kidney was removed, even though the pre-existing renal excretory insufficiency was augmented.

Renal infarction

PAS staining gives a similar appearance.

Renal infarction

It tells us the size of the tumor and whether it has grown into nearby areas. Contralateral kidney without stenotic lesion has arterial and arteriolar sclerosis and other hypertensive changes.

Renal artery stenosis

Medical management must be designed to avoid serious hemodynamic and metabolic disorders.

Renal artery stenosis

The kidney is then re-implanted, much like a kidney transplant, Dr.

Related Books

- [Educating Muslim girls - shifting discourses](#)
- [RACER # 3683034](#)
- [Zhongguo shou du Beijing](#)
- [Briefe](#)
- [Impresa agraria: attuali problemi di organizzazione e di gestione - atti del XXX Convegno di studi d](#)