
Syringe exchange for prevention of HIV infection in Sweden - practical experiences and community reactions.

- - Europe and Central Asia



Description: -

-Syringe exchange for prevention of HIV infection in Sweden - practical experiences and community reactions.

The International journal of the addictions -- v.26, no.12Syringe exchange for prevention of HIV infection in Sweden - practical experiences and community reactions.

Notes: Taken from The international journal of the addictions, vol.26, no.12, 1991, pp. 1293-1302. This edition was published in 1991



Filesize: 23.44 MB

Tags: #Recommendations #for #Partner #Services #Programs #for #HIV #Infection, #Syphilis, #Gonorrhea, #and #Chlamydial #Infection

The prevention of HIV infection from injecting drug use—A review of health promotion approaches

Int J Drug Pol 2007;18:417—25. Special Considerations Allergy, Intolerance, and Adverse Reactions Allergic and other adverse reactions to oral acyclovir, valacyclovir, and famciclovir are rare. On the basis of available resources, the plan needs to indicate whether specific prevention services are to be provided on-site by cross-trained staff or by providers at other sites to whom those in need of these services are referred through a clearly defined referral and linkage-to-care system.

HIV/AIDS Prevention and Treatment

All pregnant women and their sex partners should be asked about STDs, counseled about the possibility of perinatal infections, and provided access to screening and treatment, if needed. Although these principles were developed specifically for HCV treatment, they can be used for treating other medical conditions, including HIV infection 203,332,428;.

HIV/AIDS Prevention and Treatment

Sexual HIV risk among gay and bisexual male methamphetamine abusers. The main limitation was that the clinics in this study might not represent all substance use treatment programs in the U. Azerbaijan shares a 611-km frontier with Iran, and its border control forces are insufficiently trained and equipped to patrol it effectively.

HIV/AIDS Prevention and Treatment

Cannabis and poppy are cultivated illegally, mostly in southern Azerbaijan. In the patient referral group, index patients were asked notify all of their partners themselves and were not given the option of requesting provider referral for any partners. Screening for illicit use of drugs, including offering brief interventions and providing referrals, and screening for misuse of prescription drugs, can be useful adjuncts to screening for infectious

diseases 121.

Sexually Transmitted Diseases Treatment Guidelines, 2015

Van Wormer and Davis 2003: p. Hepatitis C prevention and treatment for substance users in the United States: acknowledging the elephant in the living room. J Acquir Immune Defic Syndr 2007;46 Suppl 2:S96—100.

Europe and Central Asia

The presence of herpetic ulcers and lesions allows an entry point for HIV in the uninfected individual, and the presence of high copy numbers of HIV ribonucleic acid RNA in HSV-2 lesions in HIV-infected individuals underscores the importance for HIV prevention of controlling HSV-2 infections.

Europe and Central Asia

J Obstet Gynecol Neonatal Nurs 2006;35:499—508. In addition to ensuring conditions for successful delivery of services for persons who use drugs illicitly, administrative directors and decision makers at local venues providing services to this population need to be cognizant of relevant programmatic considerations. Among women with HIV infection, T.

PrEP in substance abuse treatment: a qualitative study of treatment provider perspectives

It provides alternative sources of nicotine to smokers who are unable or unwilling to quit tobacco and nicotine entirely. The ability of care providers to detect incipient toxicity at an early stage also influences the magnitude of side effects and toxicities.

Related Books

- Providing care to the disabled elderly in the community a study of the elderly caregivers.
- Our language
- <u>State Statistical Trends Elementary and Secondary Education Indicators</u>
- Recreation Area--Lake Vesuvius.
- Encuentros con el futuro cuarto ejercicio de planeación participativa en Bogotá, 2004