


Psychiatric disorders in obstetrics

F.A. Davis Co. - Perinatal psychiatric disorders: an overview, American Journal of Obstetrics and Gynecology



Description: -

-

Childbirth -- Psychological aspects.

Pregnancy -- Complications. Psychiatric disorders in obstetrics

-Psychiatric disorders in obstetrics

Notes: Bibliography: p. 5-6.

This edition was published in 1967



Filesize: 8.75 MB

Tags: #Psychiatric #aspect #of #obstetrics #and #gynecology

ACOG Guidelines on Psychiatric Medication Use During Pregnancy and Lactation

Conditions Associated with Suboptimal Intrapartum and Inadequate Prenatal Care. Similarly, mental illness DSM-IV diagnoses were taken from the Client Services Information dataset of California's county mental health system CMHS and linked to the hospital discharge dataset.

Psychiatric disorders in obstetrics

The effect is achieved over a relatively short period, three to four weeks, and sustained throughout subsequent menstrual cycles. The Patient Health Questionnaire PHQ-9, validated for use with adolescents, is a useful screening tool.

Obstetric complications in women with diagnosed mental illness: the relative success of California's county mental health system.

Erratum in Archives of General Psychiatry 62 7 : 709.

Obstetric and gynaecological conditions associated with psychiatric disorder

Thorton's contributions were funded by the Robert Wood Johnson Foundation Health and Society Scholars Program at University of California, Berkeley. We make this assumption because mental illness diagnosis typically is provided long after initial symptoms of underlying mental illness.

Obstetrics and Gynecology Patients: Menstrual Cycle, Pregnancy, and Postpartum

Furthermore, it is recognized that the earlier in life the onset of symptoms, the longer the delay in obtaining treatment Wang et al. Women with pre-existing psychiatric conditions who are planning a pregnancy and women who develop psychiatric issues during pregnancy require specialized care.

ACOG Guidelines on Psychiatric Medication Use During Pregnancy and Lactation

While some studies have shown that mental disorders can affect obstetric outcomes, others have found no effect. Full-term, vaginal deliveries to

women with a mental illness diagnosis are, however, at significantly less risk of major lacerations compared with the general population. Structured training in technical and non-technical skills is essential.

Pregnancy and Psychiatry

Journal of Clinical Psychiatry, 74 4 , e293—e308.

Psychiatric aspect of obstetrics and gynecology

Monozygotic twin studies suggest a possible genetic component to premenstrual disorders; however, no genes have been identified.

Related Books

- [Onvoltooide symfonie.](#)
- [Paekche ŭi chibang t'ongch'i](#)
- [Merit students encyclopedia](#)
- [Sci in prima pagina](#)
- [Quicken 2005 - the official guide](#)