
Breeding Guidelines For the Swine Seedstock Producer.

s.n - NSIF



Description: -

-Breeding Guidelines For the Swine Seedstock Producer.

Factsheet (Ontario. Ministry of Agriculture and Food) -- BrgBreeding Guidelines For the Swine Seedstock Producer.

Notes: 1

This edition was published in 1985



Filesize: 63.71 MB

Tags: #Biosecurity #Guidelines #for #Pork #Producers

USE OF SIRE SUMMARIES IN ESTABLISHING BREEDING SYSTEMS

For example, a backfat EPD will be reported in hundredths of an inch millimeters in Canada, and a litter weight EPD will be reported in pounds of pigs. Boars should be isolated and tested before entering the stud and similar procedures adopted to minimize the indirect introduction of pathogens.

NSIF

Because of the significant benefits of maternal heterosis gained by using crossbred females, pure breeds or lines with superior genetic potential for reproductive traits are often used in static or rotational crosses, or to produce composite lines, from which crossbred females are generated for the terminal phase of the system.

Genetic Improvement of Sire and Dam Lines for Enhanced Performance of Swine Terminal Crossbreeding Systems

Return to MARK Home Page Questions, comments, or for additional information contact or 919 515-8797! For example, if your goal is the improvement of backfat the seedstock supplier you select should be using herd sires ranked among the top 10% for the breed.

Father, son capture Iowa Master Seedstock Producer Award

Department of Agriculture cooperating: H. There is a growing trend in the swine industry to select animals to meet a particular market.

Biosecurity Guidelines for Pork Producers

Efficient managers allocating resources to biosecurity where they have the most impact: primary, secondary, and tertiary exposure in descending order.

Father, son capture Iowa Master Seedstock Producer Award

Genetic and Phenotypic Effects Inbreeding can have dramatic effects on a herd.

USE OF SIRE SUMMARIES IN ESTABLISHING BREEDING SYSTEMS

Computerized production records have revolutionized farm records because they have assisted producers decide what to record, where to record it, and most importantly how to use records to make the farm more profitable. The last lowest indexing gilt selected should have the same maternal index value as the lowest first-, second- and third-parity sows that are selected for rebreeding for an additional litter.

Related Books

- Combates e utopias
 Criminal Procedure A Proposal For Costs in Criminal Cases.
- <u>Vikings</u>
- Vida de Don Miguel
- Recyclers manual for business, government, and the environmental community