Bibliography of Japanese palaeontology and related sciences, 1951-1960

Palaeontological Society of Japan - Sphenodus (Chondrichthyes, Neoselachii) from the Upper Cretaceous in Nakagawa Town, Hokkaido, Japan



Description: -

Paleontology -- Japan -- BibliographyBibliography of Japanese palaeontology and related sciences, 1951-1960

Palaeontological Society of Japan special papers -- no. 9 Special papers / Palaeontological Society of Japan -- no. 9Bibliography of Japanese palaeontology and related sciences, 1951-1960

Notes: Includes index.

This edition was published in 1962



Filesize: 26.58 MB

Tags: #Santonian #Working #Group

Summary and Evaluation of the Odour Regulations Worldwide[v1]

Save Time and Improve Your Marks with Cite This For Me 10,587 students joined last month! Being the first institution of its kind, the Cenozoic Laboratory opened up new avenues for the study of paleogeology and paleontology in China. Invertebrates are the most varied and commonest fossils. Meave Leakey announced a new species, , based on the cranium KNM-WT 40000 from Lake Turkana.

The Geological Society

Widespread occurrence of the jellyfish Pelagia noctiluca in Irish coastal and shelf waters. The Upper Cretaceous Lacazina Limestone in the Basco-Cantabrian and Iberian Basins of Northern Spain: Cold-water Grain Associations in Warm-water Environments.

Programs and projects

Datos micropaleontológicos preliminares sobre el límite Coniaciense-Santoniense en Olazagutía Navarra, España. Stratigraphy and Paleontology of China, 1, 165-179.

Summary and Evaluation of the Odour Regulations Worldwide[v1]

Annals Naturhistorische Museum, Wien 82, 109-176. Sciences la Tèrre, 69 supp. IuK-Kommission der deutschen wissenschaftlichen Fachgesellschaften:

Paleoanthropology

This review focuses on antidiabetic agents and future perspectives on the view of the treatment of NAFLD with T2DM. In 1999, two new species were announced.

Bibliography of Japanese history

Soldiers of the Sun: The Rise and Fall of the Imperial Japanese Army 1991. This was combined with a numerical cladistic analysis of 45 extant and fossil taxa using 163 morphological characters.

Upper Triassic reef

Bennett, Quaternary Geology, Institute of Earth Sciences, Uppsala University: INQUA Sub-Commission on Data-Handling Methods,.

A Dictionary of Geology and Earth Sciences (4th edition)

A unified radiolarian zonation for the Late Cretaceous and Paleocene of Japan. Japanese Fiction of the Allied Occupation: Vision, Embodiment, Identity.

Related Books

- Glimpses along the south coast
- Taihang feng yun
- Consigna: matar a José Antonio crónica de una traición
- Evaluation of the impact of Washingtons proposed tax reform upon families and individuals
- Parietal games critical writings by and on M. John Harrison