Depositional Study of the Harbour Seam, Sydney Coalfield, Nova Scotia.

s.n - Petrography and depositional environment of coal seams in the Carboniferous Morien Group, Sydney Coalfield, Nova Scotia

NOOK, F. J. 1947: The Appalachian Region; is Geology and Economic Minerals of Canada, 3rd edition; Geological Survey of Canada, Economic Geology Series No. 1 (Canada), p. 98–155 153, 188 p.
Bell, W. A. 1538: Fossil flors of Sydney coalfield, Nova Scoria; Geological Survey of Canada, Memoir Altabaumer, A. M. in prep.: Organic geochemical investigations of selected oil shales of the Big Marsh and Fiscus areas of Nova Scotia; Geological Survey of Canada, Owen File Remort. Bell, W. A. 1940: The Picton Conffield, Nova Scotia, Geological Survey of Casada, Memoir 225, and Section (Section 1988). Standard test method for oil from sil co-stabilion by the USBM Fischer Bell, W. A. 1944: Carbonillerous rocks and fooil sery, Designation 19994-80; Anneal Borns of northern Nova Stetle, Geological Survey tance (Re) on Bell, W. A. 1552: Possibilities for occurrence of in area, Nava petroleum reservoirs in Nova Socia, Province of Farper of Nova Socia, Department of Mises, Halfax, 177 = Sarver of Nova Socia, Department of Mises, Halfax, 177 = Bell, W. A. 1990: Mississippian Horton Group of type Windoor - Horton District, Nova Scotia Rell, W. A. and Goransen, E. A. 1938s: Bres d'Or Sheet, Cape Bresce and Victoria Cousties, Nova Sozia; Geological Servey of Canada, May 399A (1):53 360. Bell, W. A. and Goranson, E. A. 1938b: Spdney Sheet (west half), Cape Breton and Victoria Counties, Nious Scotia; Geological Survey of Counties, May 3604 (1:63-360).

Description: -

-Depositional Study of the Harbour Seam, Sydney Coalfield, Nova Scotia.

College of Aeronautics report -- no.8804

Memo (Aarhus universitet. Økonomisk institut);

1989-13

Memo / Økonomisk Institut,

Paper (Geological Survey of Canada) -- 65-15Depositional Study of

the Harbour Seam, Sydney Coalfield, Nova Scotia.

This edition was published in 1965



Filesize: 63.17 MB

Tags: #Calamospora

OCLC Classify

This publication is concerned with perhaps the most important field of coal research, that of coal environments. Catalogue Persistent Identifier APA Citation Hacquebard, P. Petrographically, a normal, banded bright coal is represented, consisting of alternating bands of vitrite, clarite, clarodurite, durite and fusite.

A depositional study of the Harbour Seam, Sydney Coalfield, Nova Scotia

The geochemistry is marked by much higher hi values than normally reported for coals but other indices are typical for coals of this rank.

Petrographical, palynological and geochemical analyses of the Hub and Harbour seams, Sydney Coalfield, Nova Scotia, Canada implications for facies development

Get Pleistocene Recent Stratigraphy Evolution and Development of the Apalachicola Coast Florida Books now! Classification schemes are used to provide a systematic arrangement of materials. This has resulted in an increase in rank with depth, as well as regionally from west to east within the same seam. The database is searchable by many of the standard numbers associated with books, magazines, journals, and music and video recordings.

Petrographical, palynological and geochemical analyses of the Hub and Harbour seams, Sydney Coalfield, Nova Scotia, Canada implications for facies development

All coal of the Sydney field is classed as high volatile A bituminous, but there are significant changes within and beyond this category.

The Sydney coalfield of Nova Scotia, Canada

Features electronic supplements, such as photographs, diagrams, tables, flowcharts and links to other websites Includes in-depth illustrations with diagrams, flowcharts and photographic plates many in color for enhanced utility, tables and graphs. The Classify prototype is designed to help users apply classification numbers. We cannot guarantee that A Depositional Study Of The Harbour Seam Sydney Coalfield Nova Scotia book is available.

Depositional Study of the Harbour Seam, Sydney Coalfield, Nova Scotia. (1965 edition)

Petrographic compositions of the seams are very similar with high vitrinite content, low inertinite, moderate liptinite and negligible clastic mineral content. The systematics and distribution of Permian miospores. This book written by P.

Related Books

- Noise and signal interference in optical fiber transmission systems an optimum design approach
 O little town of Bethlehem a Christmas hymn
- Typewriting as evidence
- Davis Y. Paschall a study in leadership
- Art works for London Lighthouse 2 a charity auction of contemporary art in aid of London Lighthous