

Formalin treatment for wheat and oat smut

Washington State Agricultural College and School of Science, Experiment Station - The prevention of stinking smut of wheat and loose smut of oats : Swingle, Walter T. (Walter Tennyson), 1871



Description: -

-

Oats -- Diseases and pests -- Control

Wheat -- Diseases and pests -- Control

Smut diseases -- Controlformalin treatment for wheat and oat smut

-

Working paper (University of British Columbia. Institute of International Relations) -- no. 24

Working paper -- no. 30

Report of investigations (United States. Bureau of Mines) -- 3449

Bulletin (Agricultural College, Experiment Station, and School of Science of the State of Washington) -- no. 54.

Bulletin -- no. 54.formalin treatment for wheat and oat smut

Notes: Cover title.

This edition was published in 1902



Filesize: 56.31 MB

Tags: #UC #IPM: #UC #Management #Guidelines #for #Loose #Smut #on #Small #Grains

Cereal Seed Treatments

Another major impact that seed treatments have had on the small grain industry is their effect on plant breeding.

Loose smut (oats)

Mycelium of Loose Smut Disease: *Ustilago tritici* is an internal parasite. Control of bare patch by seed treatment with DMI fungicides has provided some control of bare patch in barley.

Cereal Seed Treatments

CARBOXIN Vitavax 34F 2—3 oz 12 See comments MODE-OF-ACTION GROUP NAME NUMBER 1 : Carboxamide 7 COMMENTS: For use on barley, oats, triticale, and wheat.

Loose Smut of Wheat (With Diagram)

The longer of two intervals is the minimum time that must elapse before harvest.

Cereal Seed Treatments

Control of barley stripe became possible with the advent of the DMI fungicides with imazalil providing complete control. To view the content in your browser, please or, alternately, you may the file to your hard drive.

Baytan® T Flowable Seed Dressing

Again, additives can be added to the fungicide formulation to prevent seed from clumping during the planting process. The presence of the fungus

in the meristematic tissue exercises accelerating influence on the growth of the host which matures early producing flower heads. In this way, seed for the following year becomes infected.

The prevention of stinking smut of wheat and loose smut of oats : Swingle, Walter T. (Walter Tennyson), 1871

Unfortunately, we cannot provide individual solutions to specific pest problems. Prior to the development of carboxin, control of loose smut was impossible with chemicals.

Small Grain Cereal Seed Treatment

It causes great damage in the wheat growing tracts of India, particularly in the Punjab, Uttar Pradesh and certain districts of Madhya Pradesh.

Related Books

- [Life of John Phillips - a notorious robber and swindler, who was executed at Coventry, on ... the 18](#)
- [Miscellaneous selections; or the rudiments of useful knowledge - from the first authorities. ... Con](#)
- [Figures cliniques du pouvoir](#)
- [In the best interest of the child - a manual for divorcing parents](#)
- [Chun chiu ching chuan chi chieh](#)