Prodromus einer Flora von Südwestafrika

J. Cramer - Barleria crabbeoides I. Darbysh.



Description: -

-

Botany -- Namibia Prodromus einer Flora von Südwestafrika

-Prodromus einer Flora von Südwestafrika

Notes: Issued in parts

This edition was published in 1966



Filesize: 25.27 MB

Tags: #Prodromus #einer #Flora #von #Südwestafrika #(1966 #edition)

Barleria fernandae I.Darbysh.

South African Botanical Diversity Network Report No. The IUCN Red List of Threatened Species. Downloaded on 16 July 2015.

Bookreviews

There are numerous settlements and agricultural lands along the main road here, but away from this major transport route, this region is sparsely populated and Google Earth imagery shows extensive areas of apparently intact habitat to the north and south of the road.

Kyffhäuser flora

A new species and a revised record in Namibian Barleria Acanthaceae. Two imperfectly known species of Barleria. South African National Biodiversity Institute, Pretoria.

Bookreviews

Achenes at the top with a cavity, these usually with three windows; if there is no or only one window, then plants are always annual. A checklist of Namibian indigenous and naturalised plants.

Barleria fernandae I.Darbysh.

A preliminary analysis of distribution patterns in a large, pantropical genus, Barleria L. South African National Biodiversity Institute, Pretoria. Beiträge zur Flora von Südafrika.

Kyffhäuser flora

It is currently considered to be Data Deficient — DD, but may well prove to be threatened in view of the high population pressure and resultant degradation and loss of habitat in the Lubango area.

Related Books

- Interpersonal communication survey and studies
- Weather data and its applications a symposium for building service engineers : 9th March 1988, Bui
- <u>Ma Xiuqing ji</u>
- <u>Singapore Eurasians memories and hopes</u>
- Imenei stabiliti dal caso drama per musica, da rappresentarsi nellantichissimo teatro tron di S. C