

Epidemiology of abortion and practices of fertility regulation in Latin America - selected reports : a joint project of the Pan American Health Organization and the Transnational Family Research Institute.

Pan American Health Organization, Pan American Sanitary Bureau, Regional Office of the World Health Organization - Infertility around the globe: new thinking on gender, reproductive technologies and global movements in the 21st century

Description: -

-
Genetic psychology
Cognition
Handbooks, manuals, etc
Equipment and supplies
Hardware
Workshops
Hobbies/Crafts
Home Improvement / Construction
Home Maintenance And Repair
Woodworking
Electric apparatus and appliances
Electric engineering
Bahais -- Biography.
Bahai women -- Biography.
'Abdu'l-Bahá, 1844-1921.
Getsinger, Edward C. 1866-1935.
Getsinger, Lua, 1871-1916.
Abortion -- Latin America -- Case studies.
Epidemiology of abortion and practices of fertility regulation in Latin America - selected reports : a joint project of the Pan American Health Organization and the Transnational Family Research Institute.

-
no. 306.

Publicaciones científicas (Washington, D.C.) ;
Scientific publication ; no. 306
Epidemiology of abortion and practices of fertility regulation in Latin America - selected reports : a joint project of the Pan American Health Organization and the Transnational Family Research Institute.
Notes: Bibliography: p. 102-142.
This edition was published in 1975

Tags: #Abortion

HB

With the exceptions of Australia, Israel and the Scandinavian countries, few developed nations have met the ESHRE benchmark of 1500 cycles per million population per annum ;.

Women's Education Level, Maternal Health Facilities, Abortion Legislation



Filesize: 57.42 MB

and Maternal Deaths: A Natural Experiment in Chile from 1957 to 2007

Resolution on Economic Embargoes and Health Resolution on the Medical Workforce
..... Everett Koop, MD, estimated in 1984 that 4,000 are performed annually. We next present findings from our study pertinent to issues of regulation, touching on many of the themes identified from the broader literature and some of our earlier studies above.

HB

Mid second-trimester abortion procedures are those performed at 16 through 19 weeks of gestation.

Abortion

Secondary infertility is most common in regions of the world with high rates of unsafe abortion and poor maternity care, leading to post-abortive and postpartum infections. Social Determinants of Health
Social Media

Related Books

- [Proceedings of the 1st ACM Conference on Computer and Communications Security.](#)
- [Zhong Guo ming ren xuan an da po jie.](#)
- [Use of hot-film technique for boundary layer studies on a 21% thick airfoil](#)
- [Narys istorii filosofii na Ukraïni.](#)
- [Red tape - adventure capitalism in the new Russia](#)