

Using inflatable stoppings during production in noncoal mines

U.S. Dept. of the Interior, Bureau of Mines - Studies into the application of controlled recirculation ventilation in Canadian underground mines



Description: -

-
Mine ventilation -- Safety measures
Mine explosions -- Safety measures
Using inflatable stoppings during production in noncoal mines

-
Report of investigations - Bureau of Mines ; 8177
Using inflatable stoppings during production in noncoal mines

Notes: Bibliography: p. 13

This edition was published in 1976



Filesize: 46.52 MB

Tags: #Mine #ventilation #networks #optimized #for #safety #and #productivity

SENATE BILL 949 P.N. 2050

The increase in temperature may have been due to a number of different factors in addition to recirculation. An individual who holds 16 a current, valid certification to be a mine foreman may also 17 work as an assistant mine foreman or mine examiner. Paragraph b 1 addresses MSHA's need to evaluate the effectiveness and compatibility of the breathable air components to assure that the supply of breathable air is sufficient to sustain persons occupying the refuge alternative for 96 hours.

Browse subject: Mine fires

Loyalsock Creek — Hershberger , Gamble Township, Lycoming County, Pa. Commission members may be removed only for cause.

NIOSH TIC

The MMS is aware that the cross-referenced definitions are being revised; however, the cross-referenced definitions are those that deal with 30 CFR Chapter VII requirements, not those at 30 CFR Part 211. One comment stated that Federal lease obligations should not be increased if such a lease is included in an LMU. See preamble discussion of comments received on 30 CFR 211.

Title 45. — Mines and Mining :: 2006 Oklahoma Code :: Oklahoma Code :: US Codes and Statutes :: US Law :: Justia

Paragraph b 7 would require that each reasonably anticipated repair can be completed within 10 minutes of opening the storage space for repair Start Printed Page 34148 materials and tools. The provisions at 30 CFR 211. Although annual planning and evaluation procedures for individual projects improved over the years, there is no evidence of management procedures for integrating individual projects into a coherent effort leading toward achievement of broad program goals.

FEDERAL 47 FR 33154 (July 30, 1982)

In particular, the inner facing surface of sleeve 22 defines a seat 26 having a diameter D_{seat}, and ball 24, is sized, having a diameter D_{ball}, to engage and seal against seat 26. This requirement has not been inserted at 30 CFR 211.

Volume 37 • Issue 12 • Page 785—820

The MMS agrees and will continue to work closely with BIA in effecting the Indian trust responsibilities of DOI. Next Generation Bolting Working in partnership with mining and geotechnical companies and operators, we have developed an innovative and ground-breaking solution to the current and future challenges of hard rock mining, which we call UniPass.

US8746343B2

Statement of Purpose The purpose of this action is to revise COMAR 10. Roddy and Daniel Malloy, Pittsburgh Post-Gazette, July 15, 2010. From August 4, 1976, to the date of election, 12 million tons of coal were produced.

Related Books

- [Neue technologische Erkenntnisse in der Kohleveredlung - Vorträge zum Berg- und Hüttenmännischen](#)
- [Jātakas in Indian art](#)
- [Ponce de Leon - exploring Florida and Puerto Rico](#)
- [Einführung in die französische Morphologie](#)
- [Oceanic and anthropogenic controls of life in the Pacific Ocean - proceedings of the 2nd Pacific Sym](#)