


Air quality data for non-criteria pollutants, 1957 through 1970.

Environmental Protection Agency, Office of Air and Waste Management, Office of Air Quality Planning and Standards - The Regulation of Stationary Sources



Description: -

- Regionalism

International organization

Air -- Pollution -- United States -- Tables.

Air quality -- United States -- Tables.

Air quality -- United States -- Data processing. Air quality data for non-criteria pollutants, 1957 through 1970.

- EPA (Series) -- 450/2-77-020.

EPA ; 450/2-77-020 Air quality data for non-criteria pollutants, 1957 through 1970.

Notes: Issued Nov. 1977.

This edition was published in 1977



Filesize: 21.103 MB

Tags: #50 #Years #of #Progress

Modelling public health improvements as a result of air pollution control policies in the UK over four decades—1970 to 2010

Fossil fuels opened a new human cultural chapter of extraordinary technical and economic growth while bringing about noxious and unhealthful combustion byproducts to breathe. Toronto tended to have lower inequalities, with some similarities to both Vancouver and Montreal in their patterns.

Associations between maternal residential proximity to air emissions from industrial facilities and low birth weight in Texas, USA

Visit the to access current criteria pollutant data. The associated air quality benefits will lead to improved health, longevity, and quality of life for all Americans.

Cumulative air pollution indicators highlight unique patterns of injustice in urban Canada

Pollutant concentration datasets were accessed through the Canadian Urban Environmental Health Research Consortium CANUE , which indexed all data to DMTI Spatial Inc. Annual average concentrations hover between 1-6 ppb.

Criteria Air Pollutants

Emissions information is developed with input from state and local air agencies, tribes, and industry.

Historical Highlights of Air Pollution Toxicology

Results were largely, but not always, consistent between the two measures of inequality considered. In low-income countries it tops the list. During the 1970s and 1980s, California environmental agencies advocated the use of methanol and natural gas instead of gasoline, which could cut a vehicle's smog-forming emissions in half.

Clean Air Act

In all of these threads of research though, attention should be paid to how inequality is characterized and measured.

Criteria Air Pollutants

Other similar operating permit programs that regulate various air pollutants have been established.

Related Books

- [Search for most unstable scales of disturbances in three-layer atmospheric models with shear and sta](#)
- [International stars at war](#)
- [Drug business.](#)
- [Effects of undernutrition and lead exposure on the development of the cerebellum.](#)
- [Life of James Abram Garfield - twentieth president of the United States](#)