


# Causes of death in Ontario uranium miners. by J. Muller and W.C. Wheeler

## Ministry of Health - Worker Health Study Summaries



Description: -

-Causes of death in Ontario uranium miners. by J. Muller and W.C. Wheeler

-Causes of death in Ontario uranium miners. by J. Muller and W.C. Wheeler

Notes: 11

This edition was published in -



Filesize: 41.22 MB

Tags: #Estimating #Lung #Cancers #From #Permissible #Radon #Exposures #~ #Part #1

### Trends and characteristics of compensated occupational cancer in Ontario, Canada, 1937

Under certain regularity conditions, it has been shown that the deviance is distributed as a chi-square with an appropriate number of degrees of freedom.

### Comparative proteomic analysis in serum of former uranium miners with and without radon induced squamous lung cancer

Deposition and early disposition of inhaled  $^{234}UO_2 NO_3 2$  and  $^{232}UO_2 NO_3 2$  in the rat.

### Radon: A likely carcinogen at all exposures

Standard 61: Drinking water system components—health effects. Acute toxicity of uranium in rats and mice.

### Worker Health Study Summaries

Working environmental conditions varied tremendously.

### The health effects of radon and uranium on the population of Kazakhstan

ASTM D5174—91 Standard test method for trace uranium in water by pulsed-laser phosphorimetry. Studies on iron miners have been reported from several countries: for example, in the Malmberget Radford, 1984 and Grangesberg Edling, 1982, 1983 mining regions of Sweden; and in the Cumberland mining region of Britain Boyd, 1970. The study observed a difference in the uranium removal when the pH of the water was adjusted from 4.

### Roadmap to the Project: Uranium Miners Resources

The second fatality and first flying casualty was LAC Chester M. Studies are needed to identify risk factors for SCD in CKD non-dialysis patients. Some Port Hope workers were also exposed to radium compounds, uranium metal and some enriched uranium.

### **Uranium mining in Canada**

The lowest correlation was 0. Sporadic occupational data were used, including undated arsenic levels within the mine and a single radon daughter count observed at the end of the cohort study period.

## Related Books

- [Tests - how to study for, take, and ace any test!](#)
- [Complete book of bedroom elegance - with over 30 projects for the bedroom of your dreams](#)
- [The Serapion Brothers : a critical anthology](#)
- [Ontwikkeling van het melkveehouderijbedrijf opnieuw belicht - een bundel artikelen en lezingen over](#)
- [Vancouvers past](#)