


Systematic paleontology of Quaternary ostracode assemblages from the Gulf of Alaska, part 2: families Trachyleberididae, Hemicytheridae, Loxoconchidae, Paracytherideidae

Dept. of the Interior - Lingua Terrae Books Catalogue 85



Description: -

-

Ostracoda, Fossil - Alaska Systematic paleontology of Quaternary ostracode assemblages from the Gulf of Alaska, part 2: families Trachyleberididae, Hemicytheridae, Loxoconchidae, Paracytherideidae

-Systematic paleontology of Quaternary ostracode assemblages from the Gulf of Alaska, part 2: families Trachyleberididae, Hemicytheridae, Loxoconchidae, Paracytherideidae

Notes: 11

This edition was published in -



Filesize: 68.15 MB

Tags: #Ostracod #Taxa #as #Palaeoclimate #Indicators #in #the #Quaternary

Intertidal meiofaunal biodiversity with respect to different algal habitats: a test using phytal ostracodes from Southern California

FAMILY UVIGERINIDAE Haeckel, 1894 Subfamily ANGULOGERININAE Galloway, 1933 Genus TRIFARINA Cushman, 1923 Trifarina angulosa Williamson, 1858 1858 Uvigerina angulosa Williamson: p.

Paracytheridea khantaakensis

Implications of wall composition and structure in agglutinated foraminifers. Bionomic and paleogeographic conditions in the neogene—quaternary marine basins in the northern part of the USSR based on the ostracode fauna: the modern tectonics and paleogeography of the soviet arctic in the context of the estimation of mineral resources. A paleoenvironmental model under the persisting influence of volcanic vents with rapid variations of hydrothermal emissions, varying in limited areas, seems to fit adequately with the paleontological and sedimentary characters of the La Starza succession, exhibiting notable similarities with Recent vent systems described from the Tyrrhenian Sea.

Fossil ostracode assemblages in the Middle Pleistocene upper part of the Sawane Formation on Sado Island, Niigata Prefecture, central Japan and surface water freshening of the Sea of Japan

Seasonal oxygen depletion in continental-shelf waters of Louisiana: historical record of benthic foraminifers.

Temporal changes in benthic ostracode assemblages in the Northern Bering and Chukchi Seas from 1976 to 2010

Subfamily SIGMOILINITINAE Łuczkowska, 1974 Genus SIGMOILINITA Seiglie, 1965 Sigmoidinita distorta Phleger and Parker, 1951 1951 Sigmoidina distorta Phleger and Parker: p. In complete journal issue, orig.

Related Books

- [Ciprofloxacin i.v. - defining its role in serious infections : international symposium, Salzburg, Se](#)
- [Literatura e judaísmo - o rosto judeu de Borges](#)
- [Raffaello - catalogo completo dei dipinti](#)
- [Doug and Mike Starn - the Christ series : November 20, 1987-January 31, 1988.](#)
- [GPS for land surveyors](#)