


Soluble and nilpotent linear groups

American Mathematical Society - Finite soluble and nilpotent groups with a restriction on the rank of the centralizer of an automorphism of prime order, Siberian Mathematical Journal



Description: -

-Soluble and nilpotent linear groups

-

Translations of mathematical monographs -- 9Soluble and nilpotent linear groups

Notes: Translation of: Razreshimye i nilpotentnye lineinye gruppy, originally published Minsk: Izd-vo Belgosuniversiteta, 1958.

This edition was published in 1963



Filesize: 41.14 MB

Tags: #Two #Theorems #about #Nilpotent #Subgroup

Linear group

An abelian group is precisely one for which the adjoint action is not just nilpotent but trivial a 1-Engel group. Further, the is bounded from above by the. .

Soluble and Nilpotent Groups

Since $P \text{ char } N$ and N is a normal subgroup of $N \rtimes G$, we get that P is a normal subgroup of $N \rtimes G$. A theory of periodic linear groups was constructed see it turned out that the main structure results of the theory of finite groups cf.

The composition and derived lengths of a soluble group

Introduction We say for brevity that a quantity is a, b, \dots . Although the theory of linear groups has quite a long history, general methods were created comparatively recently. Dixon, The Fitting subgroup of a linear solvable group.

Nilpotent group

. Khukhro UDC 512 w 1.

Nilpotent subgroups of finite soluble groups

Thus, we have a generating set for which is a subset of a generating set for.

Nilpotent subgroups of finite soluble groups

Only the solvable and classical linear groups constitute an exception. We prove this lemma inductively.

The connection with Galois theory first led to the study of solvable and classical linear groups see [1], over a prime field.

Two Theorems about Nilpotent Subgroup

Given a finite soluble group with derived length d and composition length n , the present paper investigates upper bounds for d in terms of n . If a finite group contains an element of prime order p with centralizer of order m , then it has a subgroup of p , m -bounded index which is nilpotent of p -bounded class.

Related Books

- [Ngan-nan tche yuan](#)
- [Loss prevention of rotating machinery.](#)
- [Personalități ieșene - Omagiu](#)
- [Input-output study of the Atlantic Provinces, 1965.](#)
- [Sources documentaires de l'histoire des jésuites en Haïti aux XVIIIe et XIXe siècles - 1704-1763, 1953](#)