

Post-harvest technology, preservation and quality of fish in Southeast Asia - November 13-17, 1989, Bangkok, Thailand

International Foundation for Science - Ensiling of Golden Apple snails (*Pomacea canaliculata*) and growth performance of African catfish (*Clarias gariepinus*) fingerlings fed diets with raw and ensiled Golden Apple snails as protein source



Description: -

-Post-harvest technology, preservation and quality of fish in Southeast Asia - November 13-17, 1989, Bangkok, Thailand

-Post-harvest technology, preservation and quality of fish in Southeast Asia - November 13-17, 1989, Bangkok, Thailand

Notes: Proceedings of the Workshop on Post-harvest Technology, Preservation and Quality of Fish in Southeast Asia (reverse t.p.).

This edition was published in 1990



Filesize: 36.77 MB

Tags: #Food #loss #and #waste #and #food #security #: #Food #Loss #and #Food #WasteCauses #and #Solutions

Ensiling of Golden Apple snails (*Pomacea canaliculata*) and growth performance of African catfish (*Clarias gariepinus*) fingerlings fed diets with raw and ensiled Golden Apple snails as protein source

In tropical countries, fish are generally heavily smoked at relatively high temperatures so that they are also cooked. Farmacol Chile, 5 2 , 63-93.

Benefits and food safety concerns associated with consumption of edible insects

Young leaves are eaten fresh or cooked as a vegetable. International Journal of Tropical Plant Diseases, 6 1 :99-105. English is widely employed in government and commerce and is a compulsory subject in all schools.

Everything About Wood: Global Change and Development: a Synthesis for Southeast Asia

Six people, including five of Indian origin, were killed and over 50 were injured. Box 7024, SE-750 07 Uppsala, Sweden Abstract The influence of ensiling Golden Apple snails GAS on nutritional and biochemical traits, and the growth performance of African catfish *Clarias gariepinus* fingerlings fed diets where fish meal was replaced with raw or ensiled GAS as protein source was studied.

Malaysia

She is a Fellow of the Energy Institute, and a Trustee for the Centre for Sustainable Energy. Political, social and perceptual aspects of integrated pest management programmes.

Mangifera indica (mango)

Fish kept shaded will be cooler than if they are exposed to the sun.

Overcoming the impacts of aquaculture on the coastal zone

Most of the interior is covered with tropical forest, while the western coastal area consists of alluvial flats making up the main rubber and rice land. Securing the future of intensive rice systems: knowledge-intensive resource management and technology approach. Source: HLPE, 2014, 27, elaborated from Gustavsson et al 2011.

Related Books

- [Schooling, academic performance and occupational attainment in a non-industrialized society](#)
- [My early life](#)
- [Lian lian yu xin = - I want to hold your hand](#)
- [Telecommunications, an interdisciplinary survey](#)
- [Papauti - son origine au moyen ^age et son d^veloppement jusqu'en 1879](#)