

Geochemical Exploration For Antimony in Southeastern Alaska - the Application of Geochemical Techniques in an Exploration For Antimony Ores : Mineral Resources of Alaska.

s.n - OF 55



Description: -

-Geochemical Exploration For Antimony in Southeastern Alaska - the Application of Geochemical Techniques in an Exploration For Antimony Ores : Mineral Resources of Alaska.

-

U.S. Geological Survey bulletin -- 1024H Geochemical Exploration For Antimony in Southeastern Alaska - the Application of Geochemical Techniques in an Exploration For Antimony Ores : Mineral Resources of Alaska.

Notes: 1

This edition was published in 1955



Filesize: 65.510 MB

Tags: #OF #55

Staff View: A geochemical exploration for antimony in southeastern Alaska /

Distribution: Washington : United States Government Printing Office Series: 1024-H. Cleo Ladell, 1921- t Geochemical exploration for antimony in southeastern Alaska w OCoLC 7839459 830 0 a Geological Survey bulletin ; v 1024-H. The remaining 4 showed characteristic ochre-staining of the stream beds and clear geographical association with past mining activities.

A geochemical exploration for antimony in southeastern Alaska

An audit of existing minewater pollution sources prior to abandonment of regional dewatering was undertaken to assess the quality of existing discharges as a guide to future problems, and to define baseline conditions against which future changes may be gauged. One further discharge eluded detection by geochemical means, as it has flooded pastureland, creating a semi-natural wetland which ameliorates water quality and masks the geochemical anomaly. Specific material designation remote Label A geochemical exploration for antimony in southeastern Alaska, by C.

Staff View: A geochemical exploration for antimony in southeastern Alaska :

E-ZBorrow is the easiest and fastest way to get the book you want ebooks unavailable. The combination of low pH with high TDS was considered as potentially suggestive of ferruginous minewater discharges.

OF 55

Notes: Title from title screen viewed July 22, 2014. In North-East England the closure of a coalfield is anticipated to result in multiple discharges of poor quality minewater. LEADER 01761nam a22004337i 4500 001 MUB01006448311 003 CZ BrMU 005 20191107102819.

Staff View: A geochemical exploration for antimony in southeastern Alaska /

LEADER 01944nam a2200445 i 4500 001 1596521 005 20151211094205.

A geochemical exploration for antimony in southeastern Alaska in SearchWorks catalog

The remaining 4 showed characteristic ochre-staining of the stream beds and clear geographical association with past mining activities. Užitá geologie 2 Konspekt 9 7 080 a 550.

Staff View: A geochemical exploration for antimony in southeastern Alaska :

The combination of low pH with high TDS was considered as potentially suggestive of ferruginous minewater discharges. If your book is not available on E-ZBorrow, you can request it through ILLiad ebooks unavailable. Subjects: System Details: Mode of access: World Wide Web.

Related Books

- [Chanson des rues d'Ixelles](#)
- [Gravity interpretation along seismic refraction lines surveyed near the Canadian ice island during 1](#)
- [Crib notes for the first year of marriage - a survival guide for newlyweds](#)
- [D. Martin Luther, Ein Urteil der Theologen zu Paris über die Lehre D. Luthers. - Ein Gegenurteil D.](#)
- [Mechanism of inhibition of gap junctional communication by the nongenotoxic carcinogen nafenopin](#)