

# Treatment of bipolar disorder in children and adolescents

Guilford Press - Pediatric Bipolar Disorder



Description: -

-

Child

Bipolar Disorder -- psychology

Bipolar Disorder -- complications

Adolescent

Bipolar Disorder -- drug therapy

Manic depressive illness in adolescence -- Treatment

Manic depressive illness in children -- TreatmentTreatment of bipolar disorder in children and adolescents

-Treatment of bipolar disorder in children and adolescents

Notes: Includes bibliographical references and index.

This edition was published in 2008



Filesize: 28.27 MB

Tags: #Treatments #for #Bipolar #Disorder #in #Children

## Treatments for Bipolar Disorder in Children

With treatment, children and teens with bipolar disorder can get better over time.

## Treating bipolar disorder in kids and teens

Small open studies suggest that mood-congruent delusions and hallucinations may be treated successfully with lithium alone.

## Pediatric Bipolar Disorder

Differentiation from Disruptive Behavior Disorders ADHD and the other disruptive behavioral disorders are the most common pediatric psychiatry disorders that can overlap with bipolar disorder, see page 484. Also, birth control medications may lose effectiveness when taken along with certain bipolar disorder medications. It is no wonder parents are confused and struggling with such unkind postings from others with no empathy for what they are going through as they sacrifice time and again for their beloved children.

## Adolescent Bipolar Disorder

In a large epidemiologic study of youth 14 to 18 years of age, up to 1% met diagnostic criteria for bipolar disorder. If they are raising adolescents with bipolar disorder, maybe they should consider RememberItNow! An internationally recognized researcher for studies of child and adolescent bipolar disorders, Dr.

## Bipolar Disorder Treatment in Children & Adolescents

Emerging evidence indicates that atypical antipsychotic agents may be used in pediatric patients with bipolar disorder who presents with or without psychosis. Readers will be pleasantly impressed with the progress and consensus charted in this book.

## **Treatments for Bipolar Disorder in Children**

Additional symptoms include grandiose behavior, pressured speech, racing thoughts, decreased need for sleep, risky behavior and hypersexuality.

## **Bipolar Medications in Children and Adolescents: Mood Stabilizers**

These mood episodes cause symptoms that often last for several days or weeks. Researchers at NIMH and around the country conduct clinical trials with patients and healthy volunteers.

## **Treatments for Bipolar Disorder in Children**

This caused the landslide victory, even though none of the other 141 people who voted in her district chose her.

## Related Books

- [Practical measurements for evaluation in physical education](#)
- [Williams on South Asian religions and immigration - collected works](#)
- [Viking age - the early history, manners, and customs of the ancestors of the English-speaking nation](#)
- [National statecraft and European integration - the conservative government and the European Union, 1](#)
- [Case of the missing wine, or Cave\(at\) empty.](#)