


# Air quality data for non-criteria pollutants, 1957 through 1970.

Environmental Protection Agency, Office of Air and Waste Management, Office of Air Quality Planning and Standards - The Regulation of Stationary Sources



Description: -

- Regionalism

International organization

Air -- Pollution -- United States -- Tables.

Air quality -- United States -- Tables.

Air quality -- United States -- Data processing. Air quality data for non-criteria pollutants, 1957 through 1970.

- EPA (Series) -- 450/2-77-020.

EPA ; 450/2-77-020 Air quality data for non-criteria pollutants, 1957 through 1970.

Notes: Issued Nov. 1977.

This edition was published in 1977



Filesize: 10.46 MB

Tags: #The #Regulation #of #Stationary #Sources

## Clean Air Act

If there are no violations and there is insufficient air quality monitoring data to make a determination, the area would be assigned unclassified status. AQMD also adopted measures in the late 1980s to control specific toxic pollutants, such as hexavalent chromium and asbestos, as well as chlorofluorocarbons known to destroy the Earth's stratospheric ozone layer.

## Application of receptor modeling methods

He also observed that in spite of early smoke control measures, residents still smelled a curious bleaching-solution odor in the air, and suffered severe eye irritation on smoggy days.

## Air Quality

In short, every city has its own story, and these stories are constantly evolving.

## Clean Air Act

Each district also has a hearing board which is responsible for hearing appeals for temporary relief from either state visible emissions requirements or rules and regulations of the district. It is important to note that the level of excess cancers may depend on not only the concentration and toxicity of the pollutant, but the specific areal distribution of sensitive receptors around the source in terms of human exposure. In Vancouver, we find that high-traffic, mixed-use industrial and residential zones east of the downtown core, which include marine and rail terminals, are cumulative pollution hot spots.

## Historical Highlights of Air Pollution Toxicology

Instead, the two pollutants currently causing the greatest concern in Europe, and for which UK air quality management areas have been declared, are PM<sub>2.5</sub>. Since it is easily possible that a given stationary source can emit both classes of pollutants, i.

### **Air Quality**

The intent here was to highlight a few landmarks that illustrate the evolution of toxicology in this domain as it looks to the future.

## Related Books

- [Spaceflight dynamics 1993 - proceedings of an AAS/NASA international symposium held April 26-30, 199](#)
- [Trace metals in soils - their extractabilities and the effects of liming.](#)
- [Hitler - eine Bilanz](#)
- [Sculpture show - neue skulpturen aus der East Village.](#)
- [Nichi-Chū-Ei gengo bunka jiten](#)