


# Accumulation and ultrastructural localisation of lead and cadmium in the cockle *Cerastoderma edule*.

University of Manchester - Cloning and characterization of cDNA probes for the analysis of metallothionein gene expression in the Mediterranean bivalves: *Ruditapes decussatus* and *Cerastoderma glaucum*



Description: -

- Accumulation and ultrastructural localisation of lead and cadmium in the cockle *Cerastoderma edule*.

- Accumulation and ultrastructural localisation of lead and cadmium in the cockle *Cerastoderma edule*.

Notes: Thesis (M.Sc.), - University of Manchester, School of Biological Sciences.

This edition was published in 1993



Filesize: 28.37 MB

Tags: #MarLIN

## MarLIN

Overall, *Carcinus maenas* is probably tolerant of a decrease in salinity at the benchmark level. Journal of the Marine Biological Association of the United Kingdom 80, 647—660. Coombs: The kinetics of accumulation and excretion of ferric hydroxide in *Mytilus edulis* and its distribution in the tissues.

## Identification and Description of *Bucephalus minimus* (Digenea: Bucephalidae) Life Cycle in Portugal: Morphological, Histopathological, and Molecular Data

This work examines the use of a suite of biomarkers of marine pollution exposure and effect to determine environmental quality and the effect of pollutants on marine organisms.

## Comparative pathology in bivalves: Aetiological agents and disease processes

Exposure to dispersant will probably affect moulting and reproduction because they both have high energy requirements that are unlikely to be met after a period of dispersant-induced starvation. Enzyme activation by metals is often associated with stabilisation of the secondary or tertiary structure of the protein. Heavy metals in marine pollution perspective.

## Uptake and cellular distribution of cadmium in *Mytilus edulis*

First European Crustacean Conference, Paris, August 31-September 5, 1992, Abstracts.

## Uptake and cellular distribution of cadmium in *Mytilus edulis*

Into each aquarium six cockles were placed, to allow sampling of two cockles after 24 hours, 48 hours and 96 hours.

## Related Books

- [Notizie dei professori del disegno da Cimabue in qua per le quali si dimostra come, e per chi le bel](#)
- [ROOM 105 KING LIBRARY GROUP STUDY ROOM KEY](#)
- [Louis Lambert - édition critique](#)
- [Final edition - informal autobiography](#)
- [Role for teachers as mentors in I.T.T. The training and associated implications](#)