

# Characteristics of effluents from separate septic tanks treating grey water and black water from the same house

## Ministry of the Environment - Reuse of Domestic Greywater for the Irrigation of Food Crops

Description: -

- Woolf, Virginia, 1882-1941 -- Criticism and interpretation.

International relations -- Sources.

Effluent quality -- Ontario.

Sanitation, Household -- Ontario.

Sewage -- Purification.

Septic tanks -- Ontario.

Sewage disposal -- Ontario. Characteristics of effluents from separate septic tanks treating grey water and black water from the same house

-

1

Pyŏngmin ŭi si ;

nuova ser., 213.

Pubblicazioni del D.A.R.FI.CLE.T. ;

nuova ser., 213

Pubblicazioni del D.A.R.FI.CLE.T. ;

no. W 68.


Publication (Ontario. Pollution Control Branch. Applied Sciences Section) ;

no. W 68

Publication / Applied Sciences Section, Pollution Control Branch ; Characteristics of effluents from separate septic tanks treating grey water and black water from the same house

Notes: Bibliography: p. 30-32.

This edition was published in 1977



Filesize: 70.49 MB

Tags: #Reuse #of #Domestic #Greywater  
#for #the #Irrigation #of #Food #Crops

**About the house: Home's gray water drains into different place**

I have had several plumbers in to rod out the drain but the problem comes back in about 2 weeks. The primary treatment for greywater mainly removes pathogens and suspended solids SS. Journal—Water Pollution Control Federation, 50 11 , 2547—2559.

## Reuse of Domestic Greywater for the Irrigation of Food Crops

Chemical and microbial characterization of household graywater. Both nitrogen and phosphorus were removed, by 96 and 84%, respectively.

## Characteristics of Effluents from Gray and Black Water Septic Tanks on JSTOR

Removal efficiency of microalgae species %. Some authors indicated that the greywater might be subjected to a storage period before the treatment process; however, a storage period should be conducted for a short time to prevent microbial growth. Increasing numbers of houseboats with ensuites, spas, dishwashers and washing machines moored alongside one another on the River Murray can pose health risks, both to those on board and other recreational river users through the discharge of greywater.

## About the house: Home's gray water drains into different place

As such, a constructed wetland was considered as one of the eco-friendly and financially acceptable GWT systems. Alternative systems use pumps or gravity to help septic tank effluent trickle through sand, organic matter e. The recovery of Enterococci from food using KF streptococcus media.

**About the house: Home's gray water drains into different place**

The bactericidal effect of shorter wavelengths is visible, and ultra-violet radiation has been reported to cause damage, thus preventing successful growth and reproduction.

## Related Books

- [Tuttiā hāra.](#)
- [What your first grader needs to know - fundamentals of a good first-grade education](#)
- [Iz istorii narodnogo obrazovaniya Adygei - sbornik statei.](#)
- [Vietnam Business and Investment Opportunities Yearbook \(World Foreign Policy and Government Library\)](#)
- [Thérèse Raquin](#)