

Systematics of the neotropical characiform genus Steindachnerina Fowler (Pisces: Ostariophysi)

Smithsonian Institution Press - Systematics of the Neotropical characiform genus Cyphocharax Fowler (Pisces:Ostariophysi) (Book, 1992) [spaceneb.us.to]

Description: -

Educational counseling -- United States

Counseling -- United States

Orient

History, Ancient

Geography, Ancient

Meyer, Conrad Ferdinand, 1825-1898.

Keller, Gottfried, 1819-1890.

Childrens literature -- Catalogs.

Social sciences -- Japan -- Philosophy.

Kokubun, Ichitarō, -- 1911-

Ōyama, Ikuo, -- 1880-1955.

Okamoto, Tarō, -- 1911-

Fukumoto, Kazuo, -- 1894-

Underdeveloped areas -- Inflation.

Underdeveloped areas -- Income distribution.

Latin language -- Synonyms

Private investigators

Questioning

Criminal investigation

Steindachnerina -- Classification. Systematics of the neotropical characiform genus Steindachnerina Fowler (Pisces: Ostariophysi)

no. 507

Smithsonian contributions to zoology ; Systematics of the neotropical characiform genus Steindachnerina Fowler (Pisces: Ostariophysi)

Tags: #Vari, #Richard #P. #[WorldCat #Identities]

Notes: Includes bibliographical references (p. 111-115) and index.

This edition was published in 1991

Steindachnerina pupula

Proceedings of a workshop on Neotropical distribution patterns. PLoS ONE, 12 3 , e0172546. Gobies are deeply divided: phylogenetic evidence from



Filesize: 21.22 MB

nuclear DNA Teleostei: Gobioidei: Gobiidae.

Vari, Richard P. [WorldCat Identities]

Multigene analysis of the catfish genus Trichomycterus and description of a new South American trichomycterine genus Siluriformes, Trichomycteridae. Checklist of the freshwater fishes of South and Central America. Phylogenetic study of the Characinae Teleostei: Characiformes: Characidae.

Histological aspects of the digestive tube of the sagüiru, Steindachnerina notonota (Miranda Ribeiro, 1937) (Pisces, Curimatidae), of Ceará Mirim River, Rio Grande do Norte, Brasil

Evolution, 67 5 , 1321—1327. On the South American catfish Brachyrhamdia imitator Myers Siluriformes, Pimelodidae , with phylogenetic evidence for a large intrafamilial lineage.

Steindachnerina leucisca

Morphology, molecules and the phylogeny of Characidae Teleostei, Characiformes. Systematics and Biodiversity, 3 4 , 407—432.

Anatomy and phylogenetic analysis of the neotropical callichthyid catfishes (Ostariophysi, Siluriformes)

Phylogenomic analysis of trichomycterid catfishes Teleostei: Siluriformes inferred from ultraconserved elements. PLoS ONE 11(4): e0153538. Anatomical and histological methods were used, as Hematoxilineosin and Periodic acid-Schiff.

Related Books

- [Gentilz artist of the old Southwest](#)
- [In haereticis coercendis quatenus progredi liceat - poems - correspondence](#)
- [Geschichte der Produktivkräfte in Deutschland von 1800 bis 1945 - in drei Bänden](#)
- [Philosophical psychology.](#)
- [Critical thinking - a functional approach](#)