


Nielsen theory and reidemeister torsion

Institute of Mathematics, Polish Academy of Sciences - Formulas for the Reidemeister, Lefschetz and Nielsen coincidence number of maps between infra



Description: -

-
 Piecewise linear topology -- Congresses.
 Fixed point theory -- Congresses.
 Functions, Zeta -- Congresses.
 Nielsen theory and reidemeister torsion
 -
 The Wadsworth college success series
 v. 49
 Banach Center publications ;Nielsen theory and reidemeister torsion
 Notes: Includes bibliographical references.
 This edition was published in 1999



Filesize: 69.24 MB

Tags: #Algebraic #Techniques #for #Calculating #the #Nielsen #Number #on #Hyperbolic #Surfaces

Formulas for the Reidemeister, Lefschetz and Nielsen coincidence number of maps between infra

Annals of Mathematics is published bimonthly with the cooperation of Princeton University and the Institute for Advanced Study. Let M^1 and M^2 be oriented, closed, connected manifolds of equal dimension. Tamvakis, Gromov-Witten Invariants on Grassmannians, J.

Nielsen theory

We also give a simple proof of the averaging formula for the Lefschetz coincidence number. Combining our theorem with this conjecture, we recover the Meng-Taubes formula relating part of the Seiberg-Witten invariant to Milnor torsion. One can prove that the number of essential coincidence classes is finite.

Formulas for the Reidemeister, Lefschetz and Nielsen coincidence number of maps between infra

Dold, Fixed point indices of iterated maps, Invent. It is widely regarded as one of the main mathematics journals in the world.

Nielsen theory

Shiao, Gröbner-Shirshov bases for coxeter groups, Comm.

Related Books

- [Compromiso cristiano y liberación](#)
- [Werke, Briefwechsel, Lebenszeugnisse](#)
- [Vladimir Volkoff](#)
- [Affaire Delta - arrêt du 19 décembre 1990 = Delta case judgment of 19 December 1990 B. Affaire Djer](#)
- [Government in West Africa.](#)