


# Reported stress, personality, and mental health in parents of children with pervasive developmental disorders.

## - - Parenting Stress among Caregivers of Children with Bipolar Spectrum Disorders



Description: -

-Reported stress, personality, and mental health in parents of children with pervasive developmental disorders.

-Reported stress, personality, and mental health in parents of children with pervasive developmental disorders.

Notes: Thesis (Ph.D.) -- University of Toronto, 2003.

This edition was published in 2003



Filesize: 22.37 MB

Tags: #Parenting #stress #and #competence #in #borderline #personality #disorder #is #associated #with #mental #health, #trauma #history, #attachment #and #reflective #capacity

## The Presentation of Anxiety in Children with Pervasive Developmental Disorders

What is the best treatment for pervasive developmental disorder PDD? Wong C, Odom SL, Hume K, Cox AW, Fettig A, Kucharczyk S.

## Emotional distress and its correlates among parents of children with pervasive developmental disorders

Unlike typically autistic children, people with PDA tend to have much better social communication and interaction skills, and are consequently able to use these abilities to their advantage. Items use a 0—3 scale; higher scores indicate greater severity. Academic Press, Orlando, FL; 1984.

## Parenting Stress among Caregivers of Children with Bipolar Spectrum Disorders

BPSD affects approximately 1—2% of children and adolescents.

## Behavioural and emotional disorders in childhood: A brief overview for paediatricians

Parenting stress refers to the demands, responsibilities, difficulties, physiological reactions, and psychological consequences of caring for a child ; Conclusion: Anxiety appears to be a clinically important concern in many children with PDD. Parenting stress in particular should be carefully evaluated and addressed in assessment and treatment of pediatric BPSD, anxiety, and disruptive disorders, as these caregivers experience the highest stress levels, especially caregivers of children with BPSD, and thus may require more support, services, and specialized, family-focused interventions.

**Parenting stress and competence in borderline personality disorder is associated with mental health, trauma history, attachment and reflective capacity**

Most interventions are based on the principles of Applied Behaviour Analysis ABA which is grounded on behavioural learning theory.

### **The Presentation of Anxiety in Children with Pervasive Developmental Disorders**

Symptoms may include problems with using and understanding language; difficulty relating to people, objects, and events; unusual play with toys and other objects; difficulty with changes in routine or familiar surroundings, and repetitive body movements or behavior patterns. In addition, effective and sustainable psycho-social programs are needed to provide necessary support for the special needs of the children and their families. Weiss SJ: Stressors experienced by family caregivers of children with pervasive developmental disorders.

### **Emotional distress and its correlates among parents of children with pervasive developmental disorders**

Multiple birth and cerebral palsy in Europe: a multicenter study.

## Related Books

- [Nature of communism in occupied China - a documentary from the record of the subcommittee to Investi](#)
- [Truppe da montagna dell'esercito austro-ungarico nella Grande guerra, 1914-1918](#)
- [Holznechtmuseum Ruhpolding](#)
- [Palestine - Report by His Britannic Majesty's Government on the Palestine Administration, 1923.](#)
- [Economics today.](#)