

Comparison of signature whistles in *Tursiops truncatus*

Biological Systems - Comparison of signature whistles in *Tursiops truncatus* (1978 edition)

Description: -

Calf	Calf's Whistle	Mother's Whistle	Highest Associate	Potential Models
1492				
1573				
C011				
C48				
C92				

Johnson, Samuel, 1709-1784.

Soviet Union -- Economic policy -- 1959-1965.

Socialism -- Europe -- History.

Communism -- Soviet Union.

Strathdon (Scotland) -- Description and travel.

Corgarff (Scotland) -- Description and travel.

Mammals -- Behavior.

Animal sounds.

Bottlenose dolphin -- Behavior. Comparison of signature whistles in *Tursiops truncatus*

no. 31

Cetology ;Comparison of signature whistles in *Tursiops truncatus*

Notes: Bibliography: p. 9-10.

This edition was published in 1978



Filesize: 4.64 MB

Tags: #Species

Dolphin whistles can be useful tools in identifying units of conservation

This milk contains high amounts of fat which is meant to hasten the development of blubber; it contains so much fat, it has the consistency of toothpaste. Adaptive evolutionary conservation: towards a unified concept for defining conservation units.

Dolphin whistles can be useful tools in identifying units of conservation

Distribución espacial y posibles áreas de agregación del rorcu comín *Balaenoptera physalus* en aguas de Galicia. Many of the findings that apply to all cetaceans were therefore first discovered in the porpoises.

Toothed whale

In Pursuit of Leviathan: Technology, Institutions, Productivity, and Profits in American Whaling, 1816—1906 National Bureau of Economic Research Series on Long-Term Factors in Economic Dev.

Tesis universitarias en el Bottlenose Dolphin Research Institute BDRI

Master 2, Université Lumière Lyon 2, France. The research on other species done so far has yielded varied outcomes and inconclusive results. Master Science in Environmental sciences Wageningen University, The Netherlands.

Dolphin whistles can be useful tools in identifying units of conservation

Bachelor of Science, Université de Rouen, France. Calves are born with only a thin layer of blubber, but some species compensate for this with thick. Indeed, our limited sample size may not capture all of the variability in the whistle repertoires of these populations and may not provide a complete picture of the similarities and differences between populations.

Species

Bottlenose dolphin distribution and presence during winter months in Sardinia. Wilkins MR, Seddon N, Safran RJ. Sperm whales can produce

three specific vocalisations: creaks, codas, and slow clicks.

Dolphin whistles can be useful tools in identifying units of conservation

Odontocetes have conical teeth designed for catching fish or squid.

Related Books

- [Generals.](#)
- [Svremenost i minalo - idejno-esteticheski problemi na \[bulg.\] istor. roman ot poslednite godini :](#)
- [Agricultural land-use classification using landsat imagery data, and estimates of irrigation water u](#)
- [Sleeping Bear Dunes National Lakeshore - Pyramid Point hiking trail : a 2.7 mile trail loop with a h](#)
- [Future of natural fibres - papers presented at a Shirley Institute Conference on 29-30 November 1977](#)