


Review of the protected areas system in the Indo-Malayan realm

IUCN - Review of the protected areas system in the Afrotropical realm



Description: -

-Review of the protected areas system in the Indo-Malayan realm

-Review of the protected areas system in the Indo-Malayan realm

Notes: Maps in separate folder.

This edition was published in 1986



Filesize: 6.37 MB

Tags: #Review #of #the #protected #areas #system #in #the #Afrotropical #realm

Protected Areas Systems Review of the Indo

The protection of wildlife has a long tradition in Indian history. Making allowance for these problems, the new estimates show that rate of deforestation has, in general, increased. The adoption of a National Policy for Wildlife Conservation in 1970 and the enactment of the Wildlife Protection Act in 1972 lead to a significant growth in the protected areas network, from 5 national parks and 60 sanctuaries to 69 and 410 respectively, in 1990 Panwar, 1990.

Protected Areas Systems Review of the Indo

Low leaf area index 1. Anthropogenic activities in selected mangrove forests: a Logged timbers on the Ébrié lagoon in Eloka-To; b Mangrove forest land reclaimed for construction in Anna; c Mangrove forest lands re-claimed for community extension in Audoin-Bégréto; d Mangrove forest lands reclaimed for agriculture in Mois bottom right. Maximum canopy height m was estimated using a clinometer.

Priorities for conserving global species richness and endemism

A total of 1,193 wetlands, covering an area of about 3,904,543 ha, were recorded in a preliminary inventory coordinated by the Department of Science and Technology, of which 572 were natural Scott, 1989. The monsoon forests of the Andamans are dominated by *Pterocarpus dalbergioides* and *Terminalia* spp.

Protected Areas Systems Review of the Indo

A full list of these species is given in. You have requested a machine translation of selected content from our databases.

Priorities for conserving global species richness and endemism

The roots demonstrate capacity to fix up to 176 Mg C ha⁻¹ with average carbon content of 46 percent. In the north-west, India borders on Pakistan; in the north-east, China and Burma; and in the east, Burma.

A Review of *Rhinolophus* (Chiroptera: Rhinolophidae) from Myanmar, Including Three Species New to the Country

Prior to investigation, it was hypothesized that locals will willingly refrain access and make contributions to conservation as they are the primary beneficiary. Gland, Switzerland: IUCN — The World Conservation Union and Nairobi, Kenya: United Nations Environment Programme.

The Protected Areas System

The principal reason for the decrease in numbers is deliberate human predation.

Related Books

- [Parish registers of the churches of Ingleton and Chapel-le-Dale, 1607-1812](#)
- [Best of Universal](#)
- [Della conoscenza intellettuale.](#)
- [Informació del planejament a Catalunya - 3r. trimestre 1983.](#)
- [Railroad reorganization - Hearings before Special Committee on Bankruptcy and Reorganization, Eighti](#)