

Evaluating methods for determining water use in the High Plains in parts of Colorado, Kansas, Nebraska, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming, 1979

U.S. Geological Survey, Water Resources Division - Drought and Land

Description: -

-

Pregnancy

Industrial hygiene

Mexican bean beetle -- Control -- United States

Scanning systems

Forest surveys

Earth sciences -- Remote sensing

Artificial satellites, American

Fisheries -- United States -- Indexes

Nicolet National Forest (Wis.)

Forests and forestry -- Wisconsin

Victims of crimes surveys -- United States -- Statistics

Water supply -- United States -- Costs

Radioactive fallout -- Physiological effect -- United States.

Radioactive contamination of milk -- United States

Radioactive fallout -- United States -- Observations.

Phosphate mines and mining

Uranium mines and mining -- West (U.S.)

Coal mines and mining -- West (U.S.)

Strip mining -- West (U.S.)

Sewage disposal plants -- Maryland -- Piscataway

Sewage -- Purification -- Activated sludge process

Carbon, Activated

Logging -- Accidents -- Appalachian region.

Recreation areas -- United States

Recreation -- Research

Shipment of goods

Farm produce -- Transportation -- United States.

Carriers -- United States

Scyliorhinidae

Sharks -- Identification

Collective bargaining -- Police -- United States

Civil service -- United States

Police -- Labor unions -- United States

Stream ecology

Sedimentation and deposition

Forestry engineering

Sewage lagoons

Sewage -- Purification -- Chlorination

Combined sewer overflows -- Indiana

Water -- Purification -- Filtration

Sewage sludge

Nitrification

Drug abuse


Amphetamine abuse

Sanitary landfills

Refuse and refuse disposal -- Biodegradation

Radio -- Interference

Psychology and religion -- Bibliography



Tags: #Complex #water #management #in #modern #agriculture: #Trends #in #the #water

Kansas

Primary activities include the preparation of maps of the state's geology and resource potential, information-gathering related to petroleum, coal, aggregate, water, geological hazards, and environmental concerns, archiving geological samples, and disseminating information through reports, maps, publications, queries from individuals and organizations, and educational programs.

Dakota

Management of Soil Salinity in South East Australia. The annual measurements are made in the winter season when wells have not pumped for several months.

Psychiatry and religion -- Bibliography
 Pastoral psychology -- Bibliography
 Mental health -- Bibliography
 Asia -- Foreign relations -- United States
 United States -- Foreign relations -- Asia
 Economic assistance -- Asia
 Hardboard
 Pallets (Shipping, storage, etc.) -- Design and construction
 Earthquakes -- United States
 Seismometry
 Water use -- Great Plains Evaluating methods for determining water use in the High Plains in parts of Colorado, Kansas, Nebraska, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming. 1979
 -
 Technical report series (Canadian Wildlife Service) -- no. 268
 Technical report series -- no. 268
 General technical report FPL -- 22
 NOAA technical report ; NMFS CIRC-422
 DHEW publication -- no. (ADM) 80-941
 Research issues -- 25
 DHHS publication -- no. (ADM) 80-964
 Water-resources investigations -- 80-111 Evaluating methods for determining water use in the High Plains in parts of Colorado, Kansas, Nebraska, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming. 1979
 Notes: Bibliography: p. 30
 This edition was published in 1980



Filesize: 43.49 MB

Six

These trends reflect a redistribution of cattle feed locations over the last 30 y as operations in the Midwest focused on the large feedlots of western Kansas with ideal weather for cattle production, local irrigated corn, and proximity to major slaughterhouses. The wheat and corn W + C yield for the NCP is the annual yield of the typical double crop rotation, shown only for 2002—2011 because of differences in planted areas for corn and wheat prior to that, making it difficult to calculate average yields.

Complex water management in modern agriculture: Trends in the water

Comparing depletion over similar time periods in the NCP and USHP 1980—2011 shows that depletion in the NCP ~90 km³ is about half of that in the USHP 176 km³ although the irrigated cropland area is similar in both regions 2005: NCP, 6.

Drought and Land

Crop agriculture is limited by soil quality, precipitation levels, and limited access to water for irrigation.

Related Books

- [Kurafutopia Kyōto = - Craftopia Kyoto](#)
- [Some old southern letters](#)
- [Best C/C \[plus plus\] tips ever](#)
- [Junior college in Japan](#)
- [Electronic product design for automated manufacturing](#)