


Guidelines for industrial planning in developing countries - basic principles and practices.

United Nations Industrial Development Organization - 1.5 Planning, Organizing, Leading, and Controlling



Description: -

- Developing countries -- Economic policy.

Industrial policy -- Developing countries.

Industries -- Developing countries -- Planning Guidelines for industrial planning in developing countries - basic principles and practices.

- Guidelines for industrial planning in developing countries - basic principles and practices.

Notes: Includes bibliographical references.

This edition was published in 1988



Filesize: 6.11 MB

Tags: #Four #Best #Practices #for #Strategic #Planning

Improving the Quality of Care in Developing Countries

The questions are open ended and include interactive responses that simulate the visit and evaluate the physician's knowledge. Direct Observation and Recording of Visits Direct observation and recording of visits is a commonly used approach in developing countries. The managerial function of controlling should not be confused with control in the behavioral or manipulative sense.

Improving the Quality of Care in Developing Countries

Many larger organizations use multiple methods of departmentalization. If randomized trials cannot be conducted, the preferred option is quasi-experimental studies with clear control groups and longitudinal designs. However, it may result in fewer lives saved than the expansion of coverage of directly observed treatment short-course coverage for tuberculosis patients.

Four Best Practices for Strategic Planning

Decisions made about the structure of an organization are generally referred to as decisions.

Improving the Quality of Care in Developing Countries

Breaking out of this kind of cycle is challenging. The number of lives saved depends on the effect of the intervention—that is, the change in the percentage of cases diagnosed and treated; the prevalence rate of both types of pneumonia; the population covered by each provider; the case-fatality ratio; and the effectiveness of the treatment.

Four Best Practices for Strategic Planning

ORT is the accepted standard of care for acute diarrhea. When resource constraints limit transferability, diagnostic and treatment guidelines may

have to be modified. Finally, six impact levels were considered, which were based on two previous studies ;

1.5 Planning, Organizing, Leading, and Controlling

Overall, these data reflected the actual clinical diagnosis only 57 percent of the time.

Related Books

- [Días festivas y celebraciones](#)
- [Bonbe a inchiostro](#)
- [Ioelui.](#)
- [Unified approach to vehicle design, control, and flight path optimization](#)
- [Nouvelle flore franc 'aise - descriptions succinctes et rangées par tableaux dichotomiques des plan](#)