


Expectations, experiences, and psychological outcomes of childbirth - a prospective study of 825 women

Blackwell Science - Stress debriefing after childbirth: a randomised controlled trial



Description: -

-Expectations, experiences, and psychological outcomes of childbirth
- a prospective study of 825 women

-Expectations, experiences, and psychological outcomes of childbirth
- a prospective study of 825 women

Notes: Photocopy of: Birth: issues in perinatal care, vol.17, 1, (1990),
pp.15-23.

This edition was published in 1990



Filesize: 54.53 MB

Tags: #Positive #experiences #of #childbirth: #a #phenomenological #study

References: What Mothers Say: The Maternity Experiences Survey

Data collection The in-depth interviews took place 8—18 weeks after the women gave birth.

A prospective study of effects of psychological factors and sleep on obstetric interventions, mode of birth, and neonatal outcomes among low

Those who were interested to take part after the initial discussion were given detailed information about the study, and what the participation involved. While this helped the interviewer to build a trusting relationship with the interviewees and facilitated the recruitment and the interviews, this might have introduced some courtesy bias into the findings.

Stress debriefing after childbirth: a randomised controlled trial

The Impact Of Event Scale—Revised. These MMR display peak levels of richness and specificity by the 7th month of pregnancy with a subsequent decline up to childbirth ;.

References: What Mothers Say: The Maternity Experiences Survey

There were three subthemes: activities to protect the unborn baby, monitoring foetal movement constantly to maintain peace of mind, and receiving foetal reduction for the sake of the pregnancy. They appear to mirror the ongoing daytime processes of remodeling MMR of the self as a mother and of the fetus as a future baby ;. Predictors of a positive childbirth experience.

Great Expectations: A Prospective Study of Women's Expectations and ...

Why did our intervention have no effect? The second objective of this study, to comparatively measure the frequencies of pregnancy-related dream themes i. Both perceived control and expectations may be affected if planned mode of birth changes, resulting in poorer postnatal adjustment.

Positive experiences of childbirth: a phenomenological study

The choice a woman makes regarding place of delivery has an impact not only on her approach to labour generally, but also on the pain relief options open to her as labour progresses. Because I felt too conscious about it.

Positive Childbirth Experiences in US Hospitals: A Mixed Methods Analysis

Participant 5, aged 25, 6 months postoperative I do also think that because I've had large labia, I haven't slept around whereas otherwise I may have. Research on maternity care quality in the US often focuses on avoiding adverse events. Identifying key nursing and team behaviours to achieve high reliability.

Stress debriefing after childbirth: a randomised controlled trial

A reminder letter was sent out 2 weeks later, a further questionnaire was sent out 4 weeks after the initial mail out and again after 8 weeks, if no response had been received. Potential participants were approached by the Principal Investigator with an information leaflet. However, the survey was well-completed with missing data for individual items ranging from 1.

Related Books

- [George Gascoigne](#)
- [Scotland to Northern Ireland - Natural Gas Pipeline Project : environmental statement on-shore North](#)
- [Sahoe yanggŭkhwa kūkpok ŭl wihan sahoe chŏngch'aek kusang](#)
- [Peshawar 90 - 23rd National Games.](#)
- [Treasury of Jewish humor](#)