


Report of a Conference on Successful Small Rural Development Projects, held at Marakabei, Lesotho, 17-20 November, 1986.

Transformation Resource Centre - Community Eye Health Research: Journal Article Database



Description: -

- Rural development projects -- Lesotho -- Congresses. Report of a Conference on Successful Small Rural Development Projects, held at Marakabei, Lesotho, 17-20 November, 1986.

- Report of a Conference on Successful Small Rural Development Projects, held at Marakabei, Lesotho, 17-20 November, 1986.

Notes: Cover title.

This edition was published in 1986



Filesize: 50.55 MB

Tags: #Linking #vulnerability, #adaptation, #and #resilience #science #to #practice: #Pathways, #players, #and #partnerships

Community Eye Health Research: Journal Article Database

Dichone that do not accord with any of the species currently recognized. The aim was to provide baseline data for the planning, implementation and evaluation of both the state's and the National Programme for Prevention of Blindness. Leprosy patients with cataract were much younger than nonleprosy patients.

archives.skynet2550.us.to

Foliage leaf solitary, sometimes with second leaf from axillary cormlet, usually shorter than stem, rarely longer, 2 3 mm wide when opened flat, widely channelled or leaf halves almost folded together, smooth, apple-green, inserted at ground level or shortly below ground, usually bearing small axillary cormlet; sheathing cauline leaves 30 45 mm long, green with dry attenuate tips. Thunberg s plant had smooth, channelled leaves, a blue flower with yellowish nectar guides, and notably, inner tepals with very narrow claws, convex abaxially, and patent limbs at the base of which were two opposed lobes dentibus duobus.

Linking vulnerability, adaptation, and resilience science to practice: Pathways, players, and partnerships

This article describes the ocular biometry and determinants of refractive error in an adult population in Myanmar.

The effects of land tenure change on sustainability: human security and environmental change in southern African savannas

A global change driver such as increased temperature is predicted to not only result in extirpation of native alpine species, but to also possibly render the environment more susceptible to alien plant invasions due to enhanced competitive ability and pre-adapted traits. The prevalence of childhood blindness was 0. Western Cape, 3217 Vredenburg : Jacobsbaai, 1 km E of town on calcrete ridge, Erf 890, DD , 31 Aug.

Community Eye Health Research: Journal Article Database

There is a sufficient eye care workforce in Enugu Urban.

Linking vulnerability, adaptation, and resilience science to practice: Pathways, players, and partnerships

Can reproduce vegetatively or by seed. Rather, in the absence of disturbance i. The goal of this study was to assess the prevalence of vision impairment, blindness, and cataract surgery and to evaluate visual acuity outcomes after cataract surgery in a south Indian population.

Related Books

- [Comedy of errors by William Shakespeare.](#)
- [Tax guide for incorporating a closely held business](#)
- [Diet and arthritis - an information booklet.](#)
- [Spiritual factor of life and modern materialism](#)
- [Micrographics](#)