


Gogebic iron range - a sample of the northern margin of the Penokean fold and thrust belt

U.S. Dept. of Interior, U.S. Geological Survey - The Gogebic Iron Range : William F Cannon : 9781287031192



Description: -

-
Orogenic belts -- Gogebic Range Region (Mich. and Wis.)
Folds (Geology) -- Gogebic Range Region (Mich. and Wis.)
Geology -- Gogebic Range Region (Mich. and Wis.)
Geology, Stratigraphic -- Proterozoic
Gogebic iron range - a sample of the northern margin of the Penokean fold and thrust belt

-
Professional paper -- 1730
Gogebic iron range - a sample of the northern margin of the Penokean fold and thrust belt
Notes: Includes bibliographical references.
This edition was published in 2007



Filesize: 55.99 MB

Tags: #The #Gogebic #iron #range #: #a #sample #of #the #northern #margin #of #the #Penokean #fold #and #thrust #belt

Figure 13 from The Gogebic Iron Range

In both the eastern and western parts of the iron range, abrupt facies changes mark a passage into a more tectonically and volcanically active belt. Deposition occurred in a relatively stable tectonic setting, at least until the deposition of the Tyler Formation. The iron range forms a broad, gently southward-opening arc where the central part of the range exposes rocks that were deposited somewhat north of the eastern and western parts.

Holdings: The Gogebic iron range

Geological Survey Professional Paper 1730, 44 p.

The Gogebic Iron Range : William F Cannon : 9781287031192

The test conducted with the acid let the Neumann figures be revealed the Neumann figures which confirm this metallic block as being a ferrous meteorite or a siderite of the Hexaedrites class.

Gogebic Iron Range

The eastern and western parts of the range, in contrast, exhibit a depositional and deformational style typical of parts closer to the interior of the orogen. Together, these features make the Gogebic iron range a unique area in which to observe 1 the lateral transition from deposition on a stable platform to deposition in a tectonically and volcanically active region, and 2 the transition from essentially undeformed Paleoproterozoic strata to their folded and faulted equivalents. Following the example of tribes in Alaska, the Chippewa Federation sent a letter to EPA Administrator McCarthy and Regional Administrator Hedman on June 18th.

Related Books

- [Corporate boards - managers of risk, sources of risk](#)
- [Figürliches Porzellan aus der Sammlung Spitzner - Staatliche Kunstsammlungen Dresden, Porzellansamml](#)
- [Simon Vouet - 100 neuentdeckte Zeichnungen : aus den Beständen der Bayerischen Staatsbibliothek : e](#)
- [Los pobres ante la irrenunciabilidad de las prestaciones laborales mínimas](#)
- [Unsettling the city - urban land and the politics of property](#)