

Neisseria gonorrhoeae and gonococcal infections - report of a WHO scientific group

World Health Organization - Neisseria gonorrhoeae: Disease, Pathogenesis and Laboratory Diagnosis

Description: -

- Transcutaneous electrical nerve stimulation
- Sprains -- Treatment
- Ankle -- Wounds and injuries
- Electroacupuncture
- Sonatas (Violin and harpsichord) -- To 1800
- Telegraph
- Railroads
- Oklahoma Midland Railway Company
- Sexually transmitted diseases -- Congresses
- Gonorrhea -- Congresses
- Neisseria gonorrhoeae and gonococcal infections - report of a WHO scientific group

-
- Edition Breitkopf -- Nr. 2245-2246
- Technical report series (World Health Organization) -- 616
- World Health Organization. Technical report series -- 616
- Neisseria gonorrhoeae and gonococcal infections - report of a WHO scientific group
- Notes: Held in Geneva from 2 to 8 November, 1976
- This edition was published in 1978



Filesize: 25.36 MB

#Neisseria #gonorrhoeae

Tags: #Fluoroquinolone #Resistance #in

Disseminated Gonococcal Infection Complicated by Prosthetic Joint Infection: Case Report and Genomic and Phylogenetic Analysis

Transmission by fomites is rare.

Neisseria gonorrhoeae

The patient denied exchange of money for the act and reported no other recent sex partners or travel outside Israel. The isolates from Australian joint infections are marked with blue arrows.

Disseminated gonococcal infection due to a β

Thiery G, Tankovic J, Brun-Buisson C, Blot F. These results demonstrate that N.

Neisseria gonorrhoeae

Philadelphia, PA: Lipincott Williams and Wilkins.

New Treatment Recommendation For Gonococcal Infections

This report, which updates previous guidelines 5 , recommends a single 500 mg IM dose of ceftriaxone for treatment of uncomplicated urogenital, anorectal, and pharyngeal gonorrhea.

Update to CDC's Treatment Guidelines for Gonococcal Infection, 2020

This study evaluated gonococcal susceptibility to gentamicin in China for the first time, in conjunction with susceptibility testing for azithromycin, ceftriaxone, and spectinomycin. The answer remains largely a mystery and would have to be documented before human trials could commence.

Related Books

- [Psychiatric and psychological evidence](#)
- [William Law and eighteenth century Quakerism - including some unpublished letters and fragments of W](#)
- [Atlantic disaster - the Titanic and other victims of the North Atlantic.](#)
- [Ash mss., written in the year 1735](#)
- [Länsförvaltningarna i Danmark, Finland, Norge - rapport](#)