


Finite element modeling of drug transport processes after an intravitreal injection - a study of the effects of drug-phase geometry on bioavailability and toxicity.

National Library of Canada - Convection enhanced delivery of anti



Description: -

-Finite element modeling of drug transport processes after an intravitreal injection - a study of the effects of drug-phase geometry on bioavailability and toxicity.

-

Doc -- 5458

Canadian theses = -- Thèses canadiennes Finite element modeling of drug transport processes after an intravitreal injection - a study of the effects of drug-phase geometry on bioavailability and toxicity.

Notes: Thesis (M.Sc.) -- University of Toronto, 1997.

This edition was published in 1998



Filesize: 53.26 MB

Tags: #International #Journal #of #Nanomedicine

N

Patients undergoing same-day injections had each eye performed without reuse of any instruments or medications, meaning each eye was treated as though it belonged to a separate patient. Parra-Saldivar, Microfluidics technology for drug delivery: a review, Front.

Надлежащая производственная практика Nanoparticulates As Drug Carriers

The concept entails the direct injection of antigen-encoding plasmid DNA which, on uptake by cells, localizes to some extent into the nucleus where it transfects the cells episomally. The loading capacity of the polymer micelles, which is frequently expressed in terms of the micelle-water partition coefficient, is influenced by several factors, including both the structure of core-forming block and a drug, molecular characteristics of the copolymer such as composition, molecular weight, and the solution temperature.

Convection enhanced delivery of anti

A variety of options exist.

Engineering Drug Delivery Systems (Woodhead Publishing Series in Biomaterials) [1 ed.] 0081025483, 9780081025482

Polymers are the backbone of DDSs; they are used as drug carriers, reservoirs, matrices, coatings, or membranes. On the other hand, with killed virus vaccines, their extracellular localization and subsequent phagocytosis by professional antigen presenting cells APC or antigen-specific B cells, lead to MHC-II class restricted presentation and to T helper cell and humoral immunity. Determinants of aflatoxin M1 in breast milk in a selected group of Egyptian mothers.

Engineering Drug Delivery Systems (Woodhead Publishing Series in Biomaterials) [1 ed.] 0081025483, 9780081025482

Proteomics in the Detection of Unintended Effects in Genetically Modified Crop Plants.

Computational modeling of intravitreal drug delivery in the vitreous chamber with different vitreous substitutes

Kaiser-Kupfer MI, Kupfer C, Rodrigues MM.

Related Books

- [Detection and analysis of rare elements](#)
- [Taina imeni - diagnostika karny imeni](#)
- [Reception of continental ideas in the common law world, 1820-1920](#)
- [Frommers exploring America by RV](#)
- [Concentration and choice in the provision of hospital services - summary report](#)