

Hearing sensitivity and related medical findings among children, United States

National Center for Health Statistics; [for sale by the Supt. of Docs., U.S. Govt. Print. Off., Washington] - STATISTICAL BRIEF #228: Ear Infections (Otitis Media) in Children (0

Description: -

-

Physical education and training -- Curricula.

Camping.

Natural history -- Outdoor books.

Shakespeare, William, 1564-1616 -- Criticism and interpretation --

History.

London Metropolitan Area (England) -- Guidebooks.

London (England) -- Guidebooks.

Psychology, Industrial.

Suggestion systems -- Sweden.

Occultism -- Early works to 1800

Supernatural -- Early works to 1800

Demonology -- Early works to 1800

Religion -- Philosophy -- Early works to 1800

Mysteries, Religious -- Early works to 1800

Psychotropic Drugs -- therapeutic use -- congresses.

Psychotropic Drugs -- pharmacodynamics -- congresses.

Mental Disorders -- drug therapy -- congresses.

Neuropsychopharmacology -- Congresses.

Psychotropic drugs -- Congresses.

Usdin, Earl.

Real property -- France -- Burgundy.

Mortmain -- France -- Burgundy.

Pediatric otolaryngology -- United States -- Statistics.

Hearing levels -- United States -- Statistics.

Hearing disorders in children -- United States -- Statistics. Hearing sensitivity and related medical findings among children, United States

-

no. (HSM) 72-1046.

DHEW publication ;

no. 114.

Vital and health statistics.


DHEW publication no. (HSM) 72-1046

National Center for Health Statistics. Vital and health statistics. Series

11: Data from the National Health Survey, no. 114 Hearing sensitivity and related medical findings among children, United States

Notes: Includes bibliographical references.

This edition was published in 1972



Tags: #Hearing #impairment, #auditory #perception, #and #language #disability #John #Bamford, #Elaine #Saunders

INFO BUKU KEDOKTERAN DAN KESEHATAN MASYARAKAT: BAGIAN KELIMABELAS

The importance of hearing and vision is one of the reasons to advocate ophthalmologic evaluation in children with SNHL.

Ophthalmologic Findings in Children With Sensorineural Hearing Loss

Typically, deaf or hard of hearing people involved in the Deaf community refer to themselves as deaf despite their individual hearing levels.



Filesize: 17.82 MB

INFO BUKU KEDOKTERAN DAN KESEHATAN MASYARAKAT: BAGIAN KELIMABELAS

Conclusions In this study, the overall prevalence of ophthalmologic findings in children with SNHL was 21.

Hearing impairment, auditory perception, and language disability / John Bamford, Elaine Saunders

Integration of Sample Design for the National Survey of Family Growth, Cycle 4, With the National Health Interview Survey. DSH aims to

improve the quality of health care for people.

Related Books

- [Eyvind Johnson](#)
- [Pontifical romano-germanique du dixième siècle](#)
- [Paris - New York, a continuing romance - \[catalogue of an exhibition\] for the benefit of New York Pu](#)
- [Glossary of the Essex dialect.](#)
- [Andaman Islanders](#)