


Metamorphism and Granitic Intrusions of Precambrian Age in Southeastern British Columbia.

s.n - Age and nature of the Canadian part of the circum



Description: -

-Metamorphism and Granitic Intrusions of Precambrian Age in Southeastern British Columbia.

-

Paper (Geological Survey of Canada) -- 62-13 Metamorphism and Granitic Intrusions of Precambrian Age in Southeastern British Columbia.

Notes: 1

This edition was published in 1962



Filesize: 64.99 MB

Tags: #Open #Files #1999

Тези доповідей конференцій: British

In conclusion, the writer has demonstrated some close correlations between lead isotope data and observable i. A variety of dikes and small irregular intrusions that are probably coeval with the Island Plutonic Suite occur throughout the area. However, it is conformable on the McLaughlin Ridge Formation south of Sansum Point and in the Chapman Creek area and on the southwest limb of the Cowichan uplift, is unconformable on the lower volcanics.

Open Files 1999

Limited production is also obtained from Vancouver Island.

Тези доповідей конференцій: British

The Cunningham Lake area, which covers parts of Babine, Stuart and Trembleur Lakes, is located north of Burns Lake and west of Fort St. A series of north-south, steeply inclined sinistral faults offset the lithology.

Тези доповідей конференцій: British

The field examinations of selected barite deposits included mapping, sampling and lithogeochemical analyses. Two Jurassic intrusions cut the Kobau Group: the Fairview Granodiorite and the Oliver Granite. They contain free gold and gold disseminated within pyrite and tetrahedrite.

Open Files 1989

The oldest rocks in British Columbia are the strongly metamorphosed sedimentary, volcanic, and intrusive rocks of the Monashee Complex, situated to the west of the Columbia River near Revelstoke Figure 21. Upper Cretaceous Coast Plutonic complex diorite, granodiorite and granite form stocks and plutons. Other Jurassic intrusions include aplite dikes, small granitic, dioritic and mafic stocks; there are also Tertiary mafic dikes.

Тези доповідей конференції: British

They consist of intrusive bodies of biotite hornblende diorite, biotite granite, and megacrystic granite.

Related Books

- [Medicine - Stem Cells, Genes & Superbeams \(Cutting Edge\)](#)
- [Oil and gas technical reports, 1920-1980](#)
- [I Wish I Knew About the Spectrum and Z, X. 81](#)
- [Red-carpet treatment - \[Palace of Holyroodhouse\]](#)
- [Novel B\[beta\]-lactams, their antibacterial and pharmacokinetic properties and pre clinical evaluatio](#)